

# Riflescopes

How to Choose	Intended Use	Recommended Models
	All-Purpose Big Game Hunting (Deer, Antelope, Elk, Etc.)	3–9x40 variable, 2.5–10x40, 4–12x40 with adjustable objective
	Shotguns (Deer & Turkeys)	Low power variables such as 1–4x32, 1.75–5x32 & 1.5–6x32. HOLOSight® is also an excellent choice
	Varmint Hunting (Wood Chucks, Prairie Dogs, Coyotes)	Higher magnification scopes with adjustable objectives (6–24x40, 6–18x40, 4–12x40, 5–15x50)
	Extreme Low-Light Hunting	Large objective lens scopes (40mm or greater objective lenses), Scopes with large exit pupils
	Muzzleloader	Low power variables such as 1.75–5x32, 1.5–6x32. HOLOSight® is an excellent non-magnifying choice
	Handguns	Long, constant eye relief scopes such as a 2–6x32, 2x32 or HOLOSight®
	Airguns	Airgun scope or scope with adjustable objective (recoil pattern of spring piston airguns requires special design)
	Small Game (Squirrels, Rabbits, Etc.)	Compact .22 scopes & HOLOSight®
Shotguns (Wing Shooting)	HOLOSight®	

Model	Optics/Reticle	Magnification @100yds	Field of View ft@100yds	Weight (oz/g)	Length (in/mm)	Eye Relief (in/mm)	Batteries	Click Value in@100 yds/mm@100m	Brightness Adjustment
<b>HOLOSight</b>									
51-0021	Holographic Standard Reticle	1x	Unlimited	6.4 181	4.125 105	1/2"–10ft 13–3,045mm	2 type N 1.5 Volt	.5/14	20 Levels

Model	Finish	Features/Selection	Power/Obj. Lens (mm)	Field of View ft@100yds/m@100m	Weight (oz/g)	Length (in/mm)	Eye Relief (in/mm)	Exit Pupil (mm)	Click Value in@100yds/mm@100m	Adj. Range in@100yds/m@100m	Mntng. Length in/mm
<b>Elite 4200</b>											
42-1636M	M	Compact Wide Angle for Close-In & Brush Hunting. Maximum Brightness. Shotgun Scope.	1.5x–6x 36	61.8/20.6@1.5x 16.1/5.4@6x	15.4 436	12.8 325	3.3 83	14.6@1.5x 6@6x	.25/7	60/1.7	6.0 152
42-2104M	M	All-Purpose Hunting Scope with 4x	2.5x–10x	41.5/13.8@2.5x	16	13.5	3.3	15.6@2.5x	.25/7	50/1.4	6.0
42-2104G	G	Zoom Range for Close-In Brush &	40	10.8/3.6@10x	453	343	83	4@10x			152
42-2104S	S	Long-Range Shooting.									
42-2105M	M	Ideal Hunting and All-Purpose Rifle scope.	2.5x–10x 50	40.3/13.4@2.5x 10.8/3.6@10x	18 510	14.3 363	3.3 83	15@2.5x 5@10x	.25/7	50/1.4	5.9 149
42-2151M	M	Illuminated Dot Reticle. 30MM Tube. Extreme Low-Light. CR 2032 Battery.	2.5x–10x 50	40/13.3@2.5x 11/3.7@10x	22 624	14.5 368	3.3/83	5@10x 15@2.5	.25/7	60/1.7	6.5 165
42-4164M	M	Adjustable Objective. Sunshade. Parallax Focus from 10yd–Infinity. The Ultimate Varmint, Airgun & Precision Shooting Scope.	4x–16x 40	26/8.7@4x 7/2.3@16x	18.6 526	14.4 365	3.5 89	10@4x 25@16x	.25/7	40/1	6.25 159
42-4165M	M	Adjustable Objective. Sunshade. Parallax Focus from 10yd–Infinity. The Ultimate Varmint, Airgun & Precision Shooting Scope.	4x–16x 50	26/9@4x 7/2@16x	22 623	15.6 396	3.6 92	12.5@4x 3.1@16x	.125/3.5	50/1.4	5.9 149
42-6242M	M	Adjustable Objective. Mil Dot Reticle. Sunshade. Parallax Focus from 10yd–Infinity. Long-Range Varmint Target & Silhouette Shooting with Centerfire or Airgun.	6x–24x 40	18/6@6x 6.0/2@24x	20.2 572	16.9 429	3.3 83	6.7@6x 1.7@24x	.125/3.5	26/7	7.9 200
42-6243A	M	Adjustable Objective. 1/4" M.O.A. Dot Reticle. Sunshade. Parallax Focus from 10yd–Infinity. Long-Range Varmint, Target & Silhouette Shooting with Centerfire or Airgun.	6x–24x 40	18/6@6x 6.0/2@24x	20.2 572	16.9 429	3.3 83	6.7@6x 1.7@24x	.125/3.5	26/7	7.9 200
42-6244M	M	Adjustable Objective. Sunshade. Semi-Target Turrets. Parallax Focus Adjustment from 10yd–Infinity. Long-Range Varmint Target & Silhouette Shooting with Centerfire or Airgun.	6x–24x 40	18/4.5@6x 6.0/2@24x	20.2 429	16.9 429	3.3 83	6.7@6x 1.7@24x	.125/3.5	26/7	7.9 200
42-8324M	M	Adjustable Objective. Sunshade. Semi-Target Turrets. Parallax Setting From 10yd–Infinity. Ideal for Long-Range Varmint Hunting, and Benchrest.	8x–32x 40	14/4.7@8x 3.75/1.3@32x	22 623	18 457	3.3 83	5@8x 1.25@32x	.125/3.5	20/5	8.0 203

Model	Finish	Features/Selection	Power/ Obj. Lens (mm)	Field of View ft@100yds/ m@100m	Weight (oz/g)	Length (in/mm)	Eye Relief (in/mm)	Exit Pupil (mm)	Click Value in@100yds mm@100m	Adj. Range in@100yds m@100m	Mntng. Length in/mm
<b>Elite 3200</b>											
32-1040M	M	Target Turrets. Mil Dot Reticle.	10x 40	11 3.7	15.5 439	11.7 297	3.5 89	4.0	.25/7	100/2.8	6 152
32-2632M	M	Handgun. Constant 20 Eye Relief at All Powers with Maximum Recoil Resistance (.454 Casull Spec.).	2x-6x	10/3@2x	10	9	20/508	16-5.3	.25/7	50/1.4	4.0
32-2632S	S		32	4/1.3@6x	283	229					102
32-2732M	M	Compact Variable for Close-In Brush or Med. Range Shooting. Ideal for Shotguns.	2x-7x 32	44.6/15@2x 12.7/4@7x	12 340	11.6 295	3.0 76	12.2-4.6	.25/7	50/1.4	6.0 152
32-3940G	G	For Full-Range of Hunting—from Varmint to Big Game. Tops in Versatility.	3x-9x	33.8/11@3x	13	12.6	3.3	13.3-4.4	.25/7	50/1.4	6.0
32-3940M	M		40	11.5/4@9x	368	320	83				152
32-3940S	S										
32-3943	M	3-2-1 Low-Light Reticle™. For Full-Range of Hunting, from Varmint to Big Game. Tops in Versatility.	3x-9x 40	33.8/11@3x 11.5/4@9x	13 368	12.6 320	3.3 83	13.3-4.4	.25/7	50/1.4	6.0 152
32-3944M	M	Fast-Focus Eyepiece. Multi-X® Reticle.	3x-9x 40	33.8/11@3x 11.5/4@9x	13 368	12.6 320	3.3 83	13.3-4.4	.25/7	50/1.4	6.0 152
32-3950M	M	All Purpose Variable with Extra Brightness	3x-9x 50	31.5/10@3x 10.5/4@9x	19 538	15.7 399	3.3 83	16-5.6	.25/7	50/1.4	6.1 156
32-3953	M	3-2-1 Low-Light Reticle™. All-Purpose Variable with Extra Brightness.	3x-9x 50	31.5/10@3x 10.5/4@9x	19 538	15.7 399	3.3 83	16-5.6	.25/7	50/1.4	6.1 156
32-3954M	M	Fast-Focus Eyepiece. Multi-X® Reticle.	3x-9x 50	31.5/10@3x 10.5/4@9x	19 538	15.7 399	3.3 83	16-5.6	.25/7	50/1.4	6.1 156
32-3955E	M	European Reticle. Large Exit Pupil & 30mm Tube for Maximum Brightness.	3x-9x 50	31.5/10@3x 10.5/4@9x	22 623	15.6 396	3.3 83	16-5.6	.36/10	70/1.9	156
32-4124A	M	Adjustable Objective. Parallax Setting from 10yd-Infinity.	4x-12x 40	26.9/9@4x 9/3@12x	15 425	13.2 335	3.3 83	10-3.33	.25/7	50/1.4	6.0 152
32-5154M	M	Adjustable Objective. Sunshade. Parallax Setting: 10yd-Infinity. Semi-Target Turrets. Ideal Varmint, Long-Range Big Game Scope.	5x-15x 40	21/7@5x 7/2.3@15x	19 539	14.5 368.3	4.3 108	9-2.7	.25/7	50/1.4	6.0 152
32-5155M	M	Adjustable Objective. Sunshade. Parallax Setting from 10yd-Infinity. Large Objective for Brightness.	5x-15x 50	21/7@5x 7/2@15x	19 539	15.9 403	3.4 86	10-3.3	.25/7	40/1.0	5.9 149
<b>Trophy</b>											
73-0131	M	Red Dot Sight, 6 M.O.A. Dot, 11-Position Brightness Control. For Handgun, Shotgun & Competitive Shooting. CR 2032 Battery.	1x 28	68/22.6	6 170	5.5 140	Unlimited	28	.5/14	50/1.4	4.6 117
73-0134	M	For Handgun & Shotgun. 4 Dial-In Electric Reticle. CR 2032 Battery.	1x 28	68/22.6	6 170	5.5 140	Unlimited	28	.5/14	50/1.4	4.1 104
73-0232S	S	Handgun Scope. Designed for Target and Short to Medium Range Hunting. Magnum Recoil Resistant.	2x 32	20/7	7.7 218	8.7 221	18/457	16	.25/7	90/2.5	4.6 117
73-1421	M	Brush/Turkey Shotgun Scope with Circle-X® Reticle. For Turkey Hunting, Slug Guns or Blackpowder Guns.	1.75x-4x 32	73/24@1.75x 30/10@4x	10.9 308	10.8 274	4.1 105	18@1.75x	.25/7 8@4x	120/3.3	5.1 130
73-1500	G	Wide Angle. Shotgun, Blackpowder or Centerfire. Close-In Brush Hunting.	1.75x-5x 32	68/23@1.75x 23/8@5x	12.3 348	10.8 274	4.1 105	18.3@1.75x 6.4@5x	.25/7	120/3.3 130	5.1
73-2632S	S	Handgun Scope. 18 Inches of Eye Relief at All Powers.	2x-6x	11/4@2x	10.9	9.1	9-26/	16@2x	.25/7	50/1.4	4.1
73-2632	M		32	4/1@6x	308	231	229-660	5.3@6x			104
73-3940	G	Wide Angle. All-Purpose Variable, Excellent Close or Long Range. Circular View Provides an Advantage Over "TV Screen" Type Scopes for Game Running Uphill or Down.	3x-9x	42/14@3x	13.2	11.7	3.4	13.3@3x	.25/7	60/1.7	5.4
73-3940S	S		40	14/5@9x	374	297	86	4.4@4x			137
73-3948	M										
73-3942	M	7" Mounting Length for Long-Action Rifles.	3x-9x 42	42/14@3x 14/5@9x	13.8 391	12 305	3.0 76	14@3x	.25/7 4.7@9x	40/1.1	7.0 178
73-3946	M	All-Purpose. Mil Dot Reticle.	3x-9x 40	42/14@3x	13.2	11.7	3.4 86	13.3@3x	.25/7	60/1.7	5.4 137
73-3949	M	Wide Angle with Circle-X® Reticle. Ideal Low-Light Reticle.	3x-9x 40	42/14@3x 14/5@9x	13.2 374	11.7 297	3.4 86	13.3@3x	.25/7 4.4@9x	60/1.7	5.4 137
73-4124	G	Wide Angle. Adjustable Objective. Medium to Long Range Variable for Air Rifle, Varmint & Big Game. Focus from 10yd-Infinity.	4x-12x	32/11@4x	16.1	12.6	3.4	10@4x	.25/7	60/1.7	5.4
73-4124M	M		40	11/4@12x	456	320	86	3.3@12x			137
73-6184	M	Adjustable Objective. Semi-Turret Target Adjustments. Focus from 10yd-Infinity. Long-Range Varmint, Centerfire & Airgun Scope.	6x-18x 40	17.3/6@6x 6/2@18x	17.9 507	14.8 376	3.0 76	6.6@6x 2.2@18x	.125/3.5	40/1.1	6.5 165

Model	Finish	Features/Selection	Power/ Obj. Lens (mm)	Field of View ft@100yds/ m@100m	Weight (oz/g)	Length (in/mm)	Eye Relief (in/mm)	Exit Pupil (mm)	Click Value in@100yds mm@100m	Adj. Range in@100yds m@100m	Mntng. Length in/mm
<b>Banner</b>											
71-0432	M	.22/Shotgun Scope. Circle-X® Reticle. Ideal for .22's & Shotguns.	4x 32	31.5/10.5@4x	11.1 315	11.3 287	3.3 83	8@4x	.25/7	50/1.4	5.4 137
71-1432	M	50yd Parallax Setting. Circle-X® Reticle. Ideal for .22's & Shotguns.	1x-4x 32	78.5/26.1@1x 24.9/8.3@4x	12.2 345	10.5	4.3 108	16.9@1x 8@4x	.25/7	50/1.4	5.3 133
71-1545	M	Wide Angle. Ideal Shotgun & Blackpowder Scope.	1.5x-4.5x 32	67/22.3@1.5x 23/7.7@4.5x	10.5 298	10.5 298	4.0 102	17@1.5x 7@4.5x	.25/7	60/1.7	5.3 133
71-3944	M	Blackpowder Scope. Extended Eye Relief. Circle-X® Reticle. Specifically Designed for Blackpowder & Shotguns.	3x-9x 40	36/12@3x 13/4.3@9x	12.5 354	11.5 292	3.0 76	13@3x 4.4@9x	.25/7	60/1.7	5.6 143
71-3948	M	Ideal Scope for Multi-Purpose Guns. General Purpose.	3x-9x 40	40/13.6@3x 14/4.7@9x	13 369	12 305	3.3 83	13.3@3x 4.4@9x	.25/7	60/1.7	5.8 147
71-3950	M	Large Objective for Extra Brightness. Low Light Conditions.	3x-9x 50	26/9@3x 12/4@9x	19 539	16 406	3.8 95	16@3x 5.6@9x	.25/7	50/1.4	6.5 165
71-3951	M	3-2-1 Low-Light Reticle™. Low Light Conditions.	3x-9x 50	26/9@3x 12/4@9x	19 539	16 406	3.8 95	16@3x 5.6@9x	.25/7	50/1.4	6.5 165
71-4124	M	Adjustable Objective Ideal for Long-Range Shooting & Airguns. Parallax Focus from 10yd-Infinity.	4x-12x 40	29/9.7@3x 11/3.7@9x	15 425	12 300	3.3 83	10@4x 3.3@12x	.25/7	60/1.7	5.5 140
71-4228	M	Compact .22 Scope with Rings. Small Game & Varmints.	4x 20	26.5/8@4x	10 283	11.75 298	3.5 89	5@4x	.25/7	60/1.7	8.5 216
71-6185	M	Adjustable Objective. Parallax Focus from 10yd-Infinity. Long-Range Varmint & Target Scope. Airgun Scope.	6x-18x 50	17/5.7@6x 6/2.0@18x	18 510	16 406	3.5 89	8.3@6x 2.8@18x	.25/7.7	40/1.1	6.5 165
<b>Sportsman</b>											
72-0004	G	Adjustable Objective. Rings. General Purpose for Air Rifle & Rimfire. Range Focus & Target Adjustments. 10yd-Infinity.	4x 32	29.5/9.8	13.7 388	11.9 302	3.5 89	8	.25/7	90/2.5	5.8 146
72-0038	M	For High-Velocity Break Barrel Airguns. 50 feet/15 meter Parallax Setting. Multi-X® Reticle.	3x-9x 32	37/12.3@3x 14/4.7@9x	13.5 382	12 305	3.5/89	10.6-3.6	.25/7	100/2.8	5.8 146
72-0039	G	Adjustable Objective. Rings. Air Rifle, Rimfire with Range Focus Adjustments. 10yd-Infinity.	3x-9x 32	40/13.3@3x 13.1/4.4@9x	163 462	12.2 311	430 102	3.6-11	.25/7	100/2.8	5.8 146
72-0130	M	Red Dot Sight. 6 M.O.A. Dot. Ideal for Handgun, Shotgun and Competitive Shooting. 3032 Battery.	1x 23	60/20@1x	4.9 140	5.5 140	Unlimited	2.3@1x	.5/14	50/1.4	4.1 104
72-0412	G	Adjustable Objective. Long Range.	4x-12x 40	25/8.3@4x 8.5/2.8@12x	14.6 414	13.75 349	3.3 83	10-3.3	.25/7	90/2.5	5.5 140
72-1393	G	All-Purpose Variable.	3x-9x 32	37/12.3@3x 14/4.7@9x	13.5 382	12 305	3.5 89	10-3.6	.25/7	100/2.8	5.8 146
72-1398	S										
72-1403	M	General Purpose.	4x 32	29/9.7@4x	11 312	11.7 297	3.4 86	8	.25/7	110/3.1	5.8 146
72-1416	G	3/4" Tube with Rings. Airgun/.22 Scope. Coated Optics.	4x 15	17/6	3.6 102	10.7 272	3.5 89	3.8	Friction	60/1.7	7.8 198
72-1545	M	Shotgun/Muzzle Loader. Low Power Variable Ideal for Close-In or Medium-Range Shooting.	1.5x-4.5x 21	24/8@1.5x 69/23@4.5x	11.7 332	10.1 257	3.3 83	10-3.6	.25/7	210/5.8	6.0 152
72-1548	M	Circle-X Reticle™. Turkey Hunting, Shotgun Slugs and Muzzle Loading.	1.5x-4.5x 32	46.2/15.4@1.5x 19.3/6.4@4.5x	13.5 383	11.7 296	4.3 108	7.1/123	.25/7	100/2.8	5.3 133
72-3720	G	3/4" Tube with Rings. Airgun/.22 Scope. Coated Optics.	3x-7x 20	23/8@3x 11/4@7x	5.7 161	11.3 287	2.6 66	6.7-2.9	Friction	50/1.4	5.8 147
72-3940	G	Excellent for Use at Any Range.	3x-9x 40	37/12.2@3x 12/4@9x	15 425	13 330	3.5 89	13-4.4	.25/7	100/2.8	5.8 146
72-3940M	M										
72-3943	M	3-2-1 Low-Light Reticle™. Improved Crosshair Visibility for Low-Light Use.	3x-9x 40	37/12.2@3x 12/4@9x	15 425	13 330	3.5 89	13-4.4	.25/7	100/2.8	5.8 146
<b>.22 Rimfire</b>											
76-2239	M	Multi-X® Reticle. Fully Coated Optics. Includes Free Rings. 50-yd Parallax Setting.	3x-9x 32	40/13.3@3x 13/4.3@9x	11.2 318	11.75 298	3.0 76	10.6-3.6	.25/7	40/1.1	5.8 146
76-2243	M	Multi-X® Reticle. Fully Coated Optics. Includes Free Rings. 50-yd Parallax Setting.	4x 32	30/10@4x	10 284	11.5 292	3.0 76	8	.25/7	40/1.1	5.8 146