

USER GUIDE

RAPID FORCE® STANDARD BELT SLIDE

V.A 1-2026



ALIEN GEAR HOLSTERS

RAPID FORCE® STANDARD BELT SLIDE

USER GUIDE
V.A 1-2026

INCLUDED

RAPID FORCE® Standard Belt Slide x1

NOTE

All hardware is sold with other attachable RAPID FORCE® products.



NOTE

The RAPID FORCE® Standard Belt Slide is compatible with duty belts measuring 2.25" and smaller.

STANDARD BELT SLIDE ASSEMBLY

- 1** Place the RAPID FORCE® Duty Holster on a clean, stable surface with the mounting interface facing upward.
- 2** Position the RAPID FORCE® Standard Belt Slide behind the holster, aligning the mounting holes with the desired cant angle on the Belt Slide with the corresponding holes on the holster.
- 3** Once aligned, insert and thread three (3) 10-32 x 0.375" screws from the rear of the Standard Belt Slide through the mounting holes and into the RAPID FORCE® Duty Holster.
- 4** Using the included Tool-Hex Key-3/32", tighten all three screws evenly until the Belt Slide is securely attached to the holster. We recommend torquing screws to 25 in-lb (inch-pounds) for optimal performance. Do not overtighten to avoid damaging the components.

RAPID FORCE® STANDARD BELT SLIDE

USER GUIDE
V.A 1-2026

ADJUSTABLE CANT

Adjust the holster's cant by inserting the mounting screws and positioning the holster on the Standard Belt Slide attachment. Three slotted holes provide a 7.5° shift per slot.

For right-handed holsters, move the holster to the left-most slot for a forward cant or the right-most slot for a rearward or negative cant. Reverse this positioning for left-handed holsters.



DISCLAIMER OF LIABILITY

By accepting delivery of your Alien Gear Holsters order you acknowledge and agree to the following conditions:

Firearms are dangerous instruments and should be handled only by responsible persons who have completed a certified training course in the safe handling and use of firearms. YOU, THE CONSUMER, ASSUME ANY AND ALL RISK ASSOCIATED WITH THE PURCHASE AND USE OF ALIEN GEAR HOLSTERS PRODUCTS. BECAUSE TEDDER INDUSTRIES, LLC D/B/A ALIEN GEAR HOLSTERS HAS NO CONTROL OVER HOW ITS PRODUCTS WILL BE USED, OR WHO SUCH PRODUCTS WILL BE USED BY AFTER PURCHASE, TEDDER INDUSTRIES, LLC D/B/A ALIEN GEAR HOLSTERS DISCLAIMS ANY AND ALL LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES TO PERSON(S) AND/OR PROPERTY RESULTING FROM THE USE OF ANY ALIEN GEAR HOLSTERS PRODUCTS. YOU, THE CONSUMER, ASSUME ALL RISK OF PERSONAL INJURY OR DEATH CLAIMS AS A RESULT OF YOUR USE OF ALIEN GEAR HOLSTERS PRODUCTS.

It is your responsibility as the consumer to personally check and ensure the fit, function, and compatibility of your Alien Gear Holsters product with your particular handgun, apparel, and working conditions. Although Alien Gear Holsters makes every effort to construct its products to fit the most current handgun models, manufacturers of handguns constantly update their products. Slight manufacturing changes in a handgun model can affect the proper and safe fit of your handgun and holster. Loose or ill-fitting apparel may interfere with proper fit or function of Alien Gear Holsters products. Some environments or working conditions are not conducive to the use of Alien Gear Holsters products. You, the consumer, are ultimately responsible for determining whether your particular usage of your Alien Gear Holsters product, with your particular handgun, apparel, and working conditions, is safe and appropriate. Alien Gear Holsters will not be responsible for changes to handgun models, variations from standards, or for typographical or other errors which may occur in the ordering of a product from Alien Gear Holsters.

Alien Gear Holsters products are designed to fit factory equipped handguns. The use of trigger shoes or grip adapters, laser sights or any other alterations to the frame, or dimensions of the handgun itself, may cause improper holster fit and negligent discharge. Do not alter your Alien Gear Holsters product in any way. An alteration to your Alien Gear Holsters product may result in an unsafe fit for your handgun and possible negligent discharge. Do not use your Alien Gear Holsters product with any firearm for which it was not designed or intended.

Never place a loaded handgun in a holster without first testing holster and handgun compatibility and fit using your handgun in an unloaded condition (double-check to make sure the chamber is empty). For information on how to safely carry your particular handgun, please refer to your handgun manufacturer's safety and instruction manual.

Practice holstering and drawing your handgun, and wearing your holster, with your handgun unloaded until you are comfortable with fit, compatibility, and usage, before using your holster in non-test conditions or with a loaded handgun. Make certain that your handgun is securely seated in the holster each time you holster your handgun before removing your hand from the grip. A handgun must snugly fit in its holster to guard against accidental separation of the handgun from the holster. Never place your hand in front of the firearm barrel while trying to holster or un-holster your firearm. Keep your finger off the trigger until you are ready to shoot. Keep fingers off the trigger and out of the trigger guard when drawing or replacing the handgun in the holster and at all times while your handgun is holstered.

[Follow all instructions and guidance in your Alien Gear Holsters product Use and Care Guide/Instruction Manual/Owner's Manual.] Should your holster become worn, loose, defective, or ill-fitting at any time, immediately cease use of your holster and contact Alien Gear Holsters for warranty coverage instructions.

Questions?

support@aliengearholsters.com

