

Fringe 10", 12", and 15" M-LOK Rail



The Firefield™ brand has recently launched with products designed to maximize every intense moment. Originally designed for consumers who need products to hold up to heart pounding, fast-paced combat in the field, Firefield™ has crossed over to service customers with hunting and tactical needs as well

Firefield™ offers quality products with the outdoor enthusiast and shooting fanatic in mind that are affordable to the masses. Prepare for victory with the latest Firefield™ products! The Firefield™ brand consists of riflescopes, laser sights, boresights, tactical flashlights, reflex sights, AK and Quad Rail mounts, binoculars and other shooting accessories. Firefield™ products are compatible with paintball, airsoft, AR-15, shotguns and pistols.

Firefield™ concentrates on providing the consumer with products for fast-paced situations while being durable, yet affordable. Firefield™ works diligently creating products to serve the next generation of fast- paced gun enthusiasts. Transform fears into glory and excitement with Firefield™!

www.fire-field.com

© Sellmark Corporation, all rights reserved www.fire-field.com

FRINGE 10", 12", AND 15" M-LOK RAIL

Firefield's Fringe 10-inch M-LOK rail (FF34070) features a slim skeletonized carbon fiber body with an aggressive design robust enough to handle all M-LOK attachments. The Fringe rail features numbered rail slots to help with re-zeroing when remounting. Also included are QD sling sockets to quickly attach a sling to the rail on left or right side. Fringe M-LOK rails accepts most Picatinny-, NATO- and Weaver-sized attachments.

Features

- Carbon fiber composite material
- M-LOK rail design
- Lighweight
- Numbered rail slots
- QD sling sockets
- Accepts most Picatinny-, NATO- and Weaver-sized attachments

SPECIFICATIONS

Material	Carbon fiber composite
Rail type	Picatinny / M-LOK
Length (in)	10", 12", 15"
Weight (oz)	6.2, 6.9, 8

Features:


- Lightweight design
- Carbon fiber composite material
- Numbered rail slots
- QD sling sockets
- Rail should accept most Picatinny, NATO, and Weaver sized mounts

Included Accessories:

- Barrel nut
- 7-slot M-LOK rail piece
- Hex key

DIAGRAM

- I. Picatinny rail
- 2. M-LOK slots
- 3. Barrel nut
- 4. Barrel nut screws
- 5. M-LOK rail section
- 6. M-LOK screws and nuts



2

MOUNTING

Tools Required: AR-15 Barrel nut wrench, table vice, AR-15 action block, torque wrench, hex key

Warning: If these tools are not available it is best to have the rail installed by a gunsmith in order not to risk damaging the firearm

Prior to mounting, the current handguard needs to be removed along with the barrel nut, gas block, gas tube, and muzzle device.

To mount:

I. Tighten down supplied barrel nut to 30 ft/lbs.



2. Assemble gas tube, gas block, and muzzle device.



3

3. Slide the rail on to the barrel nut and align with barrel nut threaded holes



4. Install rail screws



INSTALLING M-LOK RAIL SECTIONS

To install M-LOK rail sections:

1. Loosely assemble M-LOK rail section with M-LOK nuts and bolts



2. Line up M-LOK nuts with the M-LOK slot on the rail



3. Insert the M-LOK nuts in to the rail



4. Tighten bolts on M-LOK rail



7

5. Confirm M-LOK nuts have turned about 90 degrees to the proper locked position shown below, otherwise loosen the screws more than previously and re-tighten.



WARNING

Unload firearm before installing the rail. Before handling the Fringe M-LOK Rail, read and understand the contents of your firearm's manual, and the Firefield manual. Follow all standard safety precautions and procedures during firearm operation.

- ALWAYS check that the chamber of your weapon is clear before mounting the Fringe M-LOK Rail.
- Failure to follow standard firearm safety precautions and procedures is dangerous and may result in serious injury, damage to property, or death.

FIREFIELD WARRANTY

Please visit www.Firefield.com for warranty details and information.

Manufactured by Sellmark: 2201 Heritage Parkway, Mansfield, TX 76063

NOTES	NOTES

