

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 07/10/2024 Supersedes Date: 12/02/2021

Version: 2.1

SECTION 1: IDENTIFICATION

<u>Product Identifier</u> <u>Product Form:</u> Article

Product Name: NON-TOXIC SHOT SHELL LOADS

Synonyms: Classic Doubles, Dead Coyote, HEVI-13, HEVI-18, HEVI-Bismuth, HEVI-Bismuth Upland, HEVI-Bismuth Turkey, HEVI-Hammer, HEVI-Hammer Chesapeake, HEVI- Metal, HEVI-Metal Longer Range, HEVI-Snow, HEVI-Shot, HEVI-Steel, HEVI-X, HEVI-X Strut, Hog Wild, Magnum Blend, Magnum Blend Reduced Recoil, HEVI-Metal Xtreme, Speed Ball, HEVI-13 Turkey, HEVI-Hammer Dove, HEVI-Hammer Upland, HEVI-Metal Turkey, HEVI-Shot Duck, HEVI-Steel Upland, HEVI-Teal, HEVI-XII, HEVI-Shot Pheasant, HEVI-Hitter &

HEVI-Strut.

Intended Use of the Product

Small Arms Ammunition

Name, Address, and Telephone of the Responsible Party

Company

Federal Cartridge Company d/b/a Hevi Shot 1307 Clark Mill Rd P.O. Box 779 Sweet Home, OR 97386

T (800) 635-7656

dangerous.goods@tkghunt.com

Emergency Telephone Number

Emergency Number (Transportation Incidents Only) (800) 424-9300 (Inside US) 01-703-527-3887 (Outside US) (CHEMTREC, Day or Night)

Division 1.4S

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

Classification (GHS-US)

Physical Hazards: Explosives

Health Hazards: None Known

Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US) Hazard Statements (GHS-US) DANGER CAUTION!

EXPLOSIVE. KEEP AWAY FROM HEAT. DO NOT SUBJECT TO MECHANICAL SHOCK. PARTICLES FROM FIRING MAY BE HARMFUL IF INHALED. DO NOT TAKE INTERNALLY.

Precautionary Statements (GHS-US)

Prevention:

Do not handle until all safety precautions have been read and understood. Keep away from heat. No smoking. Do not subject to shock. Wear eye protection. Do not breathe fumes. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

Response:

In case of fire: Evacuate area. Fight fire with normal precautions from a reasonable distance. If

exposed, concerned or you feel unwell: Call a doctor or get medical attention.

Storage: Store in accordance with applicable fire codes. Keep only in original packaging.

<u>Disposal:</u> Dispose of ammunition in accordance with all local regulations.

Supplemental Information:

The hazardous components of this product are encased and are not biologically available.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Therefore, some health hazards do not apply to the overall product. Decomposition products, including lead, are released during the firing of cartridges. Use only outdoors or in a well-ventilated area.

Other Hazards

Other Hazards Not Contributing to the Classification: None Known

Accidental Injury from Fired Cartridge: Fired ammunition can create serious injury, possibly both entrance and exit wounds. To avoid serious injury, use ammunition only in good condition and originally chambered for a particular caliber. Always keep the barrel free of any obstruction. If the gun fails to fire, a delayed firing may occur, or the gun may fire upon being opened. Keep gun muzzle pointed in a safe direction. Wait 30 seconds. Avoid exposure to breech. Carefully unload. A fired bullet has an extremely long range and can cause serious injury or death. Always be sure of the backstop, and practice safe muzzle control at all times. Avoid firing at surfaces.

Unknown Acute Toxicity (GHS-US)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Name	Product identifier	% (w/w)
Tungsten	(CAS No) 7440-33-7	0-65
Bismuth	(CAS No) 7440-69-9	0-60
Nickel	(CAS No) 7440-02-0	0-35
Lead Styphnate – Basic	(CAS No) 15245-44-0	0-1
Iron	(CAS No) 7439-89-6	0-100
Tin	(CAS No) 7440-31-5	0-25
Zinc	(CAS No) 7440-66-6	0-50
Copper	(CAS No) 7440-50-8	0-100
Polyethylene	(CAS No) 9002-88-4	10-25
Nitrocellulose	(CAS No) 9004-70-2	5-10
Nitroglycerin	(CAS No) 55-63-0	0.05-2

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur, go into open air and ventilate suspected area.

Skin Contact: Wash with plenty of soap and water. If skin irritation or rash occurs: Seek medical advice.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Ingestion: Rinse mouth. Do NOT induce vomiting.

Most Important Symptoms and Effects Both Acute and Delayed

General: May cause an allergic skin reaction. Projectiles from fired ammunition can cause puncture wounds.

Inhalation: Not expected to be a primary route of exposure.

Skin Contact: May cause an allergic skin reaction.

Eye Contact: None expected under normal conditions of use. **Ingestion:** Ingestion is likely to be harmful or have adverse effects. **Chronic Symptoms:** None expected under normal conditions of use.

Indication of Any Immediate Medical Attention and Special Treatment Needed:

If you feel unwell, seek medical advice (show the label to physician where possible).

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

07/10/2024 Page **2** of **13**

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations **Suitable Extinguishing Media:** Straight water stream; Water fog. Class A foam.

Unsuitable Extinguishing Media: None.

Special Hazards Arising from the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures

Explosion Hazard: Explosive. The effects are largely confined to the package and no projection of fragments of appreciable size or range is to be expected. An external fire shall not cause virtually instantaneous explosion of almost the entire contents of the package. Do not expose to heat, or ignition sources as this could cause an explosion. If heated above 200 °C (392 °F) may explode. **Reactivity:** Hazardous reactions are unlikely to occur under normal circumstances.

Advice for Firefighters

Precautionary Measures: Do not breathe fumes from fires or vapors from decomposition. Exercise caution when fighting any chemical fire. If product is unconfined, there is a greater risk for injury from projectiles.

Firefighting Instructions: In case of fire: Evacuate area. Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Self-contained breathing apparatus (SCBA) and full structural protective clothing should be worn for any fire or exposure to heat. This includes, but is not limited to, protective coat, pants, boots, firefighting gloves, SCBA with facepiece and helmet, protective hood and eye protection. (NFPA 1971)

Hazardous Combustion Products: Oxides of Barium, Lead, Antimony, Aluminum, Magnesium, Nitrogen, Carbon, and Sulfur.

Specific Methods: Perform a risk assessment before engaging in offensive firefighting operations. Unless life safety risk or significant risk of property loss is present, consider taking defensive posture, protecting exposures and maintaining safe distance until material is consumed. For further information see the video "Ammunition and the Fire Fighter" by the Sporting Arms and Ammunition Manufacturers' Institute (SAAMI).

Evacuate personnel to a safe area according to pre-determined public protection zones. Refer to pre-incident response and structural plans to determine potential for involvement of other hazardous materials. Direct water streams at product to reduce projectile hazard from exploding cartridges. After the fire is controlled, heated products can still re-ignite and project pieces of metal posing risk to fire-fighters. Full PPE including respiratory protection should be worn during salvage, overhaul and fire investigation. Do not disturb the involved area until the fire is completely extinguished and the product and packaging are allowed to cool down to ambient temperatures.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid all unnecessary exposure.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Eliminate ignition sources.

Environmental Precautions

Avoid release to the environment.

Methods and Material for Containment and Cleanup

For Containment: Contain and collect as any solid. Use only non-sparking tools. **Methods for Cleanup:** Clear up spills immediately and dispose of waste safely

Reference to Other Sections

See section 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Additional Hazards When Processed: Projectiles from fired ammunition can cause puncture wounds. Avoid striking the primer of unchambered cartridges. Remove ammunition from service if any of the following conditions have occurred: corrosion, physical damage, exposure to oil or spray type lubricants.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Do no eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

Conditions for Safe Storage Including Any Incompatibilities

Technical Measures: Store as defined in the Explosives Act of Canada and the provisions of the Bureau of Alcohol, Tobacco and

07/10/2024 Page **3** of **13**

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Firearms regulations contained in 27 CFR Part 555. Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep/Store away from heat sources, ignition sources, and

incompatible materials. Keep container closed when not in use.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers.

Storage Area: Keep only in original container. **Specific End Use(s):** Small Arms Ammunition

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Mexico	Nickel (7440-02-0)		
USA NIOSH	Mexico	OEL TWA (mg/m³)	1 mg/m³
USA IDLH	USA ACGIH	ACGIH TWA (mg/m³)	1.5 mg/m³
JUSA IDLH	USA OSHA	OSHA PEL (TWA) (mg/m³)	
Alberta	USA NIOSH	NIOSH REL (TWA) (mg/m³)	0.015 mg/m³
British Columbia	USA IDLH		10 mg/m ³
Manitoba OEL TWA (mg/m²) 1.5 mg/m³ New Brunswick OEL TWA (mg/m²) 1 mg/m³ New Foundland & Labrador OEL TWA (mg/m²) 1.5 mg/m³ Nova Scotia OEL TWA (mg/m²) 1.5 mg/m³ Nunavut OEL STEL (mg/m³) 2 mg/m³ Nunavut OEL STEL (mg/m³) 1 mg/m³ Northwest Territories OEL STEL (mg/m³) 1 mg/m³ Northwest Territories OEL TWA (mg/m³) 1 mg/m³ Ontario OEL TWA (mg/m³) 1 mg/m³ Orthries Edward Island OEL TWA (mg/m³) 1 mg/m³ Prince Edward Island OEL TWA (mg/m³) 1 mg/m³ Québec VEMP (mg/m³) 1 mg/m³ Saskatchewan OEL TWA (mg/m³) 1 mg/m³ Saskatchewan OEL TWA (mg/m³) 3 mg/m³ Yukon OEL TWA (mg/m³) 1 mg/m³ Vakon OEL TWA (mg/m³) 1 mg/m³ Vexoper (7440-50-8) 1 mg/m³ Mexico OEL TWA (mg/m³) 1 mg/m³ Mexico OEL TWA (mg/m³) 1 mg/m³ USA ACGIH <td>Alberta</td> <td>OEL TWA (mg/m³)</td> <td>1.5 mg/m³</td>	Alberta	OEL TWA (mg/m³)	1.5 mg/m³
New Brunswick	British Columbia	OEL TWA (mg/m³)	0.05 mg/m³
Newfoundland & Labrador OEL TWA (mg/m³) 1.5 mg/m³ Nova Scotia OEL TWA (mg/m³) 1.5 mg/m³ Nunavut OEL STEL (mg/m³) 2 mg/m³ Nunavut OEL STEL (mg/m³) 1 mg/m³ Northwest Territories OEL STEL (mg/m³) 2 mg/m³ Northwest Territories OEL TWA (mg/m³) 1 mg/m³ Ontario OEL TWA (mg/m³) 1 mg/m³ Ontario OEL TWA (mg/m³) 1.5 mg/m³ Québec VEMP (mg/m³) 1 mg/m³ Saskatchewan OEL STEL (mg/m³) 3 mg/m³ Saskatchewan OEL STEL (mg/m³) 3 mg/m³ Yukon OEL STEL (mg/m³) 3 mg/m³ Yukon OEL STEL (mg/m³) 1 mg/m³ Mexico OEL TWA (mg/m³) 1 mg/m³ Mexico OEL TWA (mg/m³) 0 z mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 0 z mg/m³ USA NIOSH NIOSH REL (TWA) (mg/m³) 0 1 mg/m³ USA IDLH US IDLH (mg/m³) 0 2 mg/m³ British Columbia OEL TWA (mg/m³) 0 2 mg/m³ <tr< td=""><td>Manitoba</td><td>OEL TWA (mg/m³)</td><td>1.5 mg/m³</td></tr<>	Manitoba	OEL TWA (mg/m³)	1.5 mg/m³
Nova Scotia OEL TWA (mg/m³) 1.5 mg/m³ 2 mg/m³ Nunavut OEL STEL (mg/m³) 2 mg/m³ 1 mg/m³ 1 mg/m³ Nunavut OEL TWA (mg/m³) 1 mg/m³ 1 m	New Brunswick	OEL TWA (mg/m³)	1 mg/m³
Nunavut	Newfoundland & Labrador	OEL TWA (mg/m³)	1.5 mg/m³
Nunavut	Nova Scotia	OEL TWA (mg/m³)	1.5 mg/m³
Northwest Territories OEL STEL (mg/m²) 2 mg/m³ Northwest Territories OEL TWA (mg/m²) 1 mg/m³ Ontario OEL TWA (mg/m²) 1 mg/m³ Prince Edward Island OEL TWA (mg/m²) 1.5 mg/m³ Québec VEMP (mg/m³) 1 mg/m³ Saskatchewan OEL STEL (mg/m²) 3 mg/m³ Saskatchewan OEL STEL (mg/m²) 3 mg/m³ Saskatchewan OEL STEL (mg/m²) 1.5 mg/m³ Yukon OEL STEL (mg/m²) 3 mg/m³ Yukon OEL STEL (mg/m²) 1 mg/m³ Yukon OEL STEL (mg/m²) 1 mg/m³ Vakon OEL STEL (mg/m²) 2 mg/m³ Vakon OEL STEL (mg/m²) 2 mg/m³ Vakon OEL STEL (mg/m³) 2 mg/m³ Vakon OEL STEL (mg/m³) 2 mg/m³ Vakon OEL STEL (mg/m³) 2 mg/m³ USA NICA ACGIH TWA (mg/m³) 0.2 mg/m³ USA NICA NISH PEL (TWA) (mg/m³) 0.1 mg/m³ USA NICA NISH PEL (TWA) (mg/m³) 0.1 mg/m³ USA NICH	Nunavut	OEL STEL (mg/m³)	2 mg/m³
Northwest Territories OEL TWA (mg/m³) 1 mg/m³ Ontario OEL TWA (mg/m³) 1 mg/m³ Prince Edward Island OEL TWA (mg/m³) 1.5 mg/m³ Québec VEMP (mg/m³) 1 mg/m³ Saskatchewan OEL STEL (mg/m³) 3 mg/m³ Saskatchewan OEL TWA (mg/m³) 1.5 mg/m³ Yukon OEL STEL (mg/m³) 3 mg/m³ Yukon OEL STEL (mg/m³) 1 mg/m³ Yukon OEL TWA (mg/m³) 1 mg/m³ Vukon OEL TWA (mg/m³) 1 mg/m³ Ves ACGIH ACGIH Ma (mg/m³) 0.2 mg/m³ USA OEL NISH RL (TWA) (mg/m³) 0.2 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 0.1 mg/m³ USA DICH USA DICH (mg/m³)	Nunavut	OEL TWA (mg/m³)	1 mg/m³
Ontario OEL TWA (mg/m³) 1 mg/m³ Prince Edward Island OEL TWA (mg/m³) 1.5 mg/m³ Québec VEMP (mg/m³) 1.5 mg/m³ Saskatchewan OEL STEL (mg/m³) 3 mg/m³ Saskatchewan OEL TWA (mg/m³) 1.5 mg/m³ Yukon OEL TWA (mg/m³) 1 mg/m³ Yukon OEL TWA (mg/m³) 1 mg/m³ Kexico OEL TWA (mg/m³) 1 mg/m³ Mexico OEL STEL (mg/m³) 2 mg/m³ Mexico OEL STEL (mg/m³) 2 mg/m³ USA OSHA ACGIH TWA (mg/m³) 0.2 mg/m³ USA NIOSH NIOSH REL (TWA) (mg/m³) 1 mg/m³ USA IDLH US IDLH (mg/m³) 0.1 mg/m³ USA IDLH US IDLH (mg/m³) 0.2 mg/m³ Alberta OEL TWA (mg/m³) 0.2 mg/m³ British Columbia OEL TWA (mg/m³) 0.2 mg/m³ New Brunswick OEL TWA (mg/m³) 0.2 mg/m³ New Brunswick OEL TWA (mg/m³) 0.2 mg/m³ Noratoria OEL TWA (mg/m³) 0.2 mg/m³ Noratoria<	Northwest Territories	OEL STEL (mg/m³)	2 mg/m³
Prince Edward Island OEL TWA (mg/m³) 1.5 mg/m³ Québec VEMP (mg/m³) 1 mg/m³ Saskatchewan OEL STEL (mg/m³) 3 mg/m³ Saskatchewan OEL TWA (mg/m³) 1.5 mg/m³ Yukon OEL STEL (mg/m³) 3 mg/m³ Yukon OEL TWA (mg/m³) 1 mg/m³ Copper (7440-50-8) Mexico OEL TWA (mg/m³) 2 mg/m³ USA ACGIH ACGIH TWA (mg/m³) 0.2 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³ USA NIOSH NIOSH REL (TWA) (mg/m³) 0.1 mg/m³ USA DILH US IDLH (mg/m³) 100 mg/m³ Alberta OEL TWA (mg/m³) 0.2 mg/m³ Manitoba OEL TWA (mg/m³) 0.2 mg/m³ New Brunswick OEL TWA (mg/m³) 0.2 mg/m³ New Brunswick OEL TWA (mg/m³) 0.2 mg/m³ Nova Scotia OEL TWA (mg/m³) 0.2 mg/m³ Nunavut OEL STEL (mg/m³) 2 mg/m³ Nunavut OEL STEL (mg/m³) 2 mg/m³ Northwest Territories OEL	Northwest Territories	OEL TWA (mg/m³)	1 mg/m³
Québec VEMP (mg/m³) 1 mg/m³ Saskatchewan OEL STEL (mg/m²) 3 mg/m³ Saskatchewan OEL TWA (mg/m³) 1.5 mg/m³ Yukon OEL STEL (mg/m³) 3 mg/m³ Yukon OEL STEL (mg/m³) 1 mg/m³ Vukon OEL TWA (mg/m³) 1 mg/m³ Copper (7440-50-8) Tmg/m³ 1 mg/m³ Mexico OEL TWA (mg/m³) 2 mg/m³ USA ACGIH ACGIH TWA (mg/m³) 0.2 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³ USA NIOSH NIOSH REL (TWA) (mg/m³) 0.1 mg/m³ USA DILH US IDLH (mg/m³) 100 mg/m³ Jaberta OEL TWA (mg/m³) 0.2 mg/m³ Manitoba OEL TWA (mg/m³) 0.2 mg/m³ New Brunswick OEL TWA (mg/m³) 0.2 mg/m³ New Brunswick OEL TWA (mg/m³) 0.2 mg/m³ Newfoundland & Labrador OEL TWA (mg/m³) 0.2 mg/m³ Nova Scotia OEL TWA (mg/m³) 0.2 mg/m³ Nunavut OEL STEL (mg/m³) 0.2 mg/m³ No	Ontario	OEL TWA (mg/m³)	1 mg/m³
Saskatchewan OEL STEL (mg/m³) 3 mg/m³ Saskatchewan OEL TWA (mg/m²) 1.5 mg/m³ Yukon OEL STEL (mg/m³) 3 mg/m³ Yukon OEL TWA (mg/m³) 1 mg/m³ Copper (7440-50-8) Wexico OEL TWA (mg/m³) 1 mg/m³ Mexico OEL STEL (mg/m³) 2 mg/m³ USA ACGIH ACGIH TWA (mg/m³) 0.2 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 0.1 mg/m³ USA NIOSH NIOSH REL (TWA) (mg/m³) 0.1 mg/m³ USA DILH US IDLH (mg/m³) 100 mg/m³ Alberta OEL TWA (mg/m³) 0.2 mg/m³ British Columbia OEL TWA (mg/m³) 0.2 mg/m³ Manitoba OEL TWA (mg/m³) 0.2 mg/m³ New Brunswick OEL TWA (mg/m³) 0.2 mg/m³ Newfoundland & Labrador OEL TWA (mg/m³) 0.2 mg/m³ Nova Scotia OEL TWA (mg/m³) 0.2 mg/m³ Nunavut OEL STEL (mg/m³) 2 mg/m³ Nunavut OEL STEL (mg/m³) 1 mg/m³ Northwest Territories OEL TWA (mg/m³)	Prince Edward Island	OEL TWA (mg/m³)	1.5 mg/m³
Saskatchewan OEL TWA (mg/m³) 1.5 mg/m³ Yukon OEL STEL (mg/m³) 3 mg/m³ Yukon OEL TWA (mg/m³) 1 mg/m³ Copper (7440-50-8) Mexico OEL TWA (mg/m³) 1 mg/m³ Mexico OEL STEL (mg/m³) 2 mg/m³ USA ACGIH ACGIH TWA (mg/m³) 0.2 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³ USA IDLH US IDLH (mg/m³) 0.1 mg/m³ USA IDLH US IDLH (mg/m³) 1 mg/m³ British Columbia OEL TWA (mg/m³) 0.2 mg/m³ British Columbia OEL TWA (mg/m³) 0.2 mg/m³ Manitoba OEL TWA (mg/m³) 0.2 mg/m³ New Frunswick OEL TWA (mg/m³) 0.2 mg/m³ Newfoundland & Labrador OEL TWA (mg/m³) 0.2 mg/m³ Nunavut OEL TWA (mg/m³) 0.2 mg/m³ Nunavut OEL TWA (mg/m³) 1 mg/m³ Northwest Territories OEL STEL (mg/m³) 2 mg/m³ Northwest Territories OEL TWA (mg/m³) 1 mg/m³ Ontario	Québec	VEMP (mg/m³)	1 mg/m³
Yukon OEL STEL (mg/m³) 3 mg/m³ Yukon OEL TWA (mg/m³) 1 mg/m³ Copper (7440-50-8) Mexico OEL STEL (mg/m³) 1 mg/m³ Mexico OEL STEL (mg/m³) 2 mg/m³ USA ACGIH ACGIH TWA (mg/m³) 0.2 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³ USA NIOSH NIOSH REL (TWA) (mg/m³) 0.1 mg/m³ USA IDLH US IDLH (mg/m³) 1 00 mg/m³ Alberta OEL TWA (mg/m³) 0.2 mg/m³ British Columbia OEL TWA (mg/m³) 0.2 mg/m³ Manitoba OEL TWA (mg/m³) 0.2 mg/m³ New Frunswick OEL TWA (mg/m³) 0.2 mg/m³ New foundland & Labrador OEL TWA (mg/m³) 0.2 mg/m³ Nova Scotia OEL TWA (mg/m³) 0.2 mg/m³ Nunavut OEL STEL (mg/m³) 2 mg/m³ Nunavut OEL STEL (mg/m³) 1 mg/m³ Northwest Territories OEL TWA (mg/m³) 1 mg/m³ Northwest Territories OEL TWA (mg/m³) 1 mg/m³ Ontario	Saskatchewan	OEL STEL (mg/m³)	3 mg/m³
Yukon OEL TWA (mg/m³) 1 mg/m³ Copper (7440-50-8) Mexico OEL TWA (mg/m³) 1 mg/m³ Mexico OEL STEL (mg/m³) 2 mg/m³ USA ACGIH ACGIH TWA (mg/m³) 0.2 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³ USA NIOSH NIOSH REL (TWA) (mg/m³) 0.1 mg/m³ USA IDLH US IDLH (mg/m³) 100 mg/m³ Alberta OEL TWA (mg/m³) 1 mg/m³ British Columbia OEL TWA (mg/m³) 0.2 mg/m³ Manitoba OEL TWA (mg/m³) 0.2 mg/m³ New Brunswick OEL TWA (mg/m³) 1 mg/m³ Newfoundland & Labrador OEL TWA (mg/m³) 0.2 mg/m³ Nova Scotia OEL TWA (mg/m³) 0.2 mg/m³ Nunavut OEL STEL (mg/m³) 2 mg/m³ Nunavut OEL TWA (mg/m³) 1 mg/m³ Northwest Territories OEL STEL (mg/m³) 1 mg/m³ Ontario OEL TWA (mg/m³) 1 mg/m³ Ortice Edward Island OEL TWA (mg/m³) 0.2 mg/m³ Québec VEMP (m	Saskatchewan	OEL TWA (mg/m³)	1.5 mg/m³
Copper (7440-50-8) Mexico OEL TWA (mg/m³) 1 mg/m³ Mexico OEL STEL (mg/m³) 2 mg/m³ USA ACGIH ACGIH TWA (mg/m³) 0.2 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³ USA NIOSH NIOSH REL (TWA) (mg/m³) 0.1 mg/m³ USA IDLH US IDLH (mg/m³) 100 mg/m³ Alberta OEL TWA (mg/m³) 1 mg/m³ British Columbia OEL TWA (mg/m³) 0.2 mg/m³ Manitoba OEL TWA (mg/m³) 0.2 mg/m³ New Brunswick OEL TWA (mg/m³) 1 mg/m³ Newfoundland & Labrador OEL TWA (mg/m³) 0.2 mg/m³ Nova Scotia OEL TWA (mg/m³) 0.2 mg/m³ Nunavut OEL STEL (mg/m³) 0.2 mg/m³ Nunavut OEL STEL (mg/m³) 1 mg/m³ Northwest Territories OEL STEL (mg/m³) 2 mg/m³ Northwest Territories OEL TWA (mg/m³) 1 mg/m³ Ontario OEL TWA (mg/m³) 1 mg/m³ Ortice Edward Island OEL TWA (mg/m³) 0.2 mg/m³	Yukon	OEL STEL (mg/m³)	3 mg/m³
Mexico OEL TWA (mg/m³) 1 mg/m³ Mexico OEL STEL (mg/m³) 2 mg/m³ USA ACGIH ACGIH TWA (mg/m³) 0.2 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³ USA NIOSH NIOSH REL (TWA) (mg/m³) 0.1 mg/m³ USA IDLH US IDLH (mg/m³) 100 mg/m³ Alberta OEL TWA (mg/m³) 1 mg/m³ British Columbia OEL TWA (mg/m³) 0.2 mg/m³ Manitoba OEL TWA (mg/m³) 0.2 mg/m³ New Brunswick OEL TWA (mg/m³) 1 mg/m³ Newfoundland & Labrador OEL TWA (mg/m³) 0.2 mg/m³ Nova Scotia OEL TWA (mg/m³) 0.2 mg/m³ Nunavut OEL STEL (mg/m³) 0.2 mg/m³ Nunavut OEL TWA (mg/m³) 1 mg/m³ Northwest Territories OEL TWA (mg/m³) 1 mg/m³ Northwest Territories OEL TWA (mg/m³) 1 mg/m³ Ontario OEL TWA (mg/m³) 1 mg/m³ Ortario OEL TWA (mg/m³) 1 mg/m³ Québec VEMP (mg/m³) 1 mg/m³ <td>Yukon</td> <td>OEL TWA (mg/m³)</td> <td>1 mg/m³</td>	Yukon	OEL TWA (mg/m³)	1 mg/m³
Mexico OEL STEL (mg/m³) 2 mg/m³ USA ACGIH ACGIH TWA (mg/m³) 0.2 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³ USA NIOSH NIOSH REL (TWA) (mg/m³) 0.1 mg/m³ USA IDLH US IDLH (mg/m³) 100 mg/m³ Alberta OEL TWA (mg/m³) 1 mg/m³ British Columbia OEL TWA (mg/m³) 0.2 mg/m³ Manitoba OEL TWA (mg/m³) 0.2 mg/m³ New Brunswick OEL TWA (mg/m³) 1 mg/m³ Newfoundland & Labrador OEL TWA (mg/m³) 0.2 mg/m³ Nova Scotia OEL TWA (mg/m³) 0.2 mg/m³ Nunavut OEL STEL (mg/m³) 2 mg/m³ Nunavut OEL TWA (mg/m³) 1 mg/m³ Northwest Territories OEL TWA (mg/m³) 1 mg/m³ Northwest Territories OEL TWA (mg/m³) 1 mg/m³ Ontario OEL TWA (mg/m³) 0.2 mg/m³ Prince Edward Island OEL TWA (mg/m³) 0.2 mg/m³ Québec VEMP (mg/m³) 1 mg/m³	Copper (7440-50-8)		
USA ACGIH ACGIH TWA (mg/m³) 0.2 mg/m³ USA OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³ USA NIOSH NIOSH REL (TWA) (mg/m³) 0.1 mg/m³ USA IDLH US IDLH (mg/m³) 100 mg/m³ Alberta OEL TWA (mg/m³) 1 mg/m³ British Columbia OEL TWA (mg/m³) 0.2 mg/m³ Manitoba OEL TWA (mg/m³) 0.2 mg/m³ New Brunswick OEL TWA (mg/m³) 1 mg/m³ Newfoundland & Labrador OEL TWA (mg/m³) 0.2 mg/m³ Nova Scotia OEL TWA (mg/m³) 0.2 mg/m³ Nunavut OEL STEL (mg/m³) 2 mg/m³ Nunavut OEL STEL (mg/m³) 1 mg/m³ Northwest Territories OEL STEL (mg/m³) 2 mg/m³ Northwest Territories OEL TWA (mg/m³) 1 mg/m³ Ontario OEL TWA (mg/m³) 1 mg/m³ Prince Edward Island OEL TWA (mg/m³) 0.2 mg/m³ Québec VEMP (mg/m³) 1 mg/m³	Mexico	OEL TWA (mg/m³)	1 mg/m³
USA OSHA OSHA PEL (TWA) (mg/m³) USA NIOSH NIOSH REL (TWA) (mg/m³) O.1 mg/m³ 100 mg/m³ NIOSH REL (TWA) (mg/m³) NIOSH REL (TWA) (mg/m³) NIOSH REL (TWA) (mg/m³) NEW British Columbia OEL TWA (mg/m³) New Brunswick OEL TWA (mg/m³) New Brunswick OEL TWA (mg/m³) Newfoundland & Labrador OEL TWA (mg/m³) Nova Scotia OEL TWA (mg/m³) Nova Scotia OEL TWA (mg/m³) Nunavut OEL STEL (mg/m³) Nunavut OEL TWA (mg/m³) Northwest Territories OEL TWA (mg/m³) OL TWA (mg/m³) ONTARIO OEL TWA (mg/m³) OL TWA (mg/m³)	Mexico	OEL STEL (mg/m³)	2 mg/m³
USA NIOSH NIOSH REL (TWA) (mg/m³) 0.1 mg/m³ 100 mg/m³ Alberta OEL TWA (mg/m³) 1 mg/m³ British Columbia OEL TWA (mg/m³) OEL TWA (mg/m³) OEL TWA (mg/m³) OEL TWA (mg/m³) New Brunswick OEL TWA (mg/m³) Newfoundland & Labrador OEL TWA (mg/m³) Nova Scotia OEL TWA (mg/m³) Nunavut OEL TWA (mg/m³) OEL TWA (mg/m³) Nunavut OEL STEL (mg/m³) Nunavut OEL STEL (mg/m³) Northwest Territories OEL TWA (mg/m³) OEL TWA (mg/m³) Northwest Territories OEL TWA (mg/m³) OEL TWA (mg/m³) Ontario OEL TWA (mg/m³) 1 mg/m³ Ontario OEL TWA (mg/m³) 1 mg/m³ Ortario OEL TWA (mg/m³) OEL TWA (mg/m³) OEL TWA (mg/m³) OEL TWA (mg/m³) ORTARIA MGM® ORTARIA MGM	USA ACGIH	ACGIH TWA (mg/m³)	0.2 mg/m ³
USA IDLH US IDLH (mg/m³) 100 mg/m³ Alberta OEL TWA (mg/m³) 1 mg/m³ British Columbia OEL TWA (mg/m³) 0.2 mg/m³ Manitoba OEL TWA (mg/m³) 0.2 mg/m³ New Brunswick OEL TWA (mg/m³) 1 mg/m³ Newfoundland & Labrador OEL TWA (mg/m³) 0.2 mg/m³ Nova Scotia OEL TWA (mg/m³) 0.2 mg/m³ Nunavut OEL STEL (mg/m³) 0.2 mg/m³ Nunavut OEL STEL (mg/m³) 2 mg/m³ Northwest Territories OEL STEL (mg/m³) 1 mg/m³ Northwest Territories OEL TWA (mg/m³) 1 mg/m³ Ontario OEL TWA (mg/m³) 1 mg/m³ Prince Edward Island OEL TWA (mg/m³) 0.2 mg/m³ Québec VEMP (mg/m³) 0.2 mg/m³	USA OSHA	OSHA PEL (TWA) (mg/m³)	1 mg/m ³
Alberta OEL TWA (mg/m³) 1 mg/m³ British Columbia OEL TWA (mg/m³) 0.2 mg/m³ Manitoba OEL TWA (mg/m³) 0.2 mg/m³ New Brunswick OEL TWA (mg/m³) 1 mg/m³ Newfoundland & Labrador OEL TWA (mg/m³) 0.2 mg/m³ Nova Scotia OEL TWA (mg/m³) 0.2 mg/m³ Nunavut OEL STEL (mg/m³) 2 mg/m³ Nunavut OEL STEL (mg/m³) 1 mg/m³ Northwest Territories OEL TWA (mg/m³) 1 mg/m³ Northwest Territories OEL TWA (mg/m³) 1 mg/m³ Ontario OEL TWA (mg/m³) 1 mg/m³ Ortario OEL TWA (mg/m³) 1 mg/m³ Ortario OEL TWA (mg/m³) 0.2 mg/m³ Ouébec VEMP (mg/m³) 0.2 mg/m³	USA NIOSH	NIOSH REL (TWA) (mg/m³)	0.1 mg/m ³
British Columbia OEL TWA (mg/m³) 0.2 mg/m³ Manitoba OEL TWA (mg/m³) 0.2 mg/m³ New Brunswick OEL TWA (mg/m³) 1 mg/m³ Newfoundland & Labrador OEL TWA (mg/m³) 0.2 mg/m³ Nova Scotia OEL TWA (mg/m³) 0.2 mg/m³ Nunavut OEL STEL (mg/m³) 2 mg/m³ Nunavut OEL TWA (mg/m³) 1 mg/m³ Northwest Territories OEL TWA (mg/m³) 2 mg/m³ Northwest Territories OEL TWA (mg/m³) 1 mg/m³ Ontario OEL TWA (mg/m³) 1 mg/m³ Prince Edward Island OEL TWA (mg/m³) 0.2 mg/m³ Québec VEMP (mg/m³) 1 mg/m³	USA IDLH	US IDLH (mg/m³)	100 mg/m ³
ManitobaOEL TWA (mg/m³)0.2 mg/m³New BrunswickOEL TWA (mg/m³)1 mg/m³Newfoundland & LabradorOEL TWA (mg/m³)0.2 mg/m³Nova ScotiaOEL TWA (mg/m³)0.2 mg/m³NunavutOEL STEL (mg/m³)2 mg/m³NunavutOEL TWA (mg/m³)1 mg/m³Northwest TerritoriesOEL STEL (mg/m³)2 mg/m³Northwest TerritoriesOEL TWA (mg/m³)1 mg/m³OntarioOEL TWA (mg/m³)1 mg/m³Prince Edward IslandOEL TWA (mg/m³)0.2 mg/m³QuébecVEMP (mg/m³)1 mg/m³	Alberta	OEL TWA (mg/m³)	1 mg/m³
New BrunswickOEL TWA (mg/m³)1 mg/m³Newfoundland & LabradorOEL TWA (mg/m³)0.2 mg/m³Nova ScotiaOEL TWA (mg/m³)0.2 mg/m³NunavutOEL STEL (mg/m³)2 mg/m³NunavutOEL TWA (mg/m³)1 mg/m³Northwest TerritoriesOEL STEL (mg/m³)2 mg/m³Northwest TerritoriesOEL TWA (mg/m³)1 mg/m³OntarioOEL TWA (mg/m³)1 mg/m³Prince Edward IslandOEL TWA (mg/m³)0.2 mg/m³QuébecVEMP (mg/m³)1 mg/m³	British Columbia	OEL TWA (mg/m³)	
Newfoundland & LabradorOEL TWA (mg/m³)0.2 mg/m³Nova ScotiaOEL TWA (mg/m³)0.2 mg/m³NunavutOEL STEL (mg/m³)2 mg/m³NunavutOEL TWA (mg/m³)1 mg/m³Northwest TerritoriesOEL STEL (mg/m³)2 mg/m³Northwest TerritoriesOEL TWA (mg/m³)1 mg/m³OntarioOEL TWA (mg/m³)1 mg/m³Prince Edward IslandOEL TWA (mg/m³)0.2 mg/m³QuébecVEMP (mg/m³)1 mg/m³	Manitoba	OEL TWA (mg/m³)	0.2 mg/m³
Newfoundland & LabradorOEL TWA (mg/m³)0.2 mg/m³Nova ScotiaOEL TWA (mg/m³)0.2 mg/m³NunavutOEL STEL (mg/m³)2 mg/m³NunavutOEL TWA (mg/m³)1 mg/m³Northwest TerritoriesOEL STEL (mg/m³)2 mg/m³Northwest TerritoriesOEL TWA (mg/m³)1 mg/m³OntarioOEL TWA (mg/m³)1 mg/m³Prince Edward IslandOEL TWA (mg/m³)0.2 mg/m³QuébecVEMP (mg/m³)1 mg/m³	New Brunswick		
Nunavut OEL STEL (mg/m³) 2 mg/m³ Nunavut OEL TWA (mg/m³) 1 mg/m³ Northwest Territories OEL STEL (mg/m³) 2 mg/m³ Northwest Territories OEL TWA (mg/m³) 1 mg/m³ Ontario OEL TWA (mg/m³) 1 mg/m³ Prince Edward Island OEL TWA (mg/m³) 0.2 mg/m³ Québec VEMP (mg/m³) 1 mg/m³	Newfoundland & Labrador	OEL TWA (mg/m³)	0.2 mg/m ³
NunavutOEL TWA (mg/m³)1 mg/m³Northwest TerritoriesOEL STEL (mg/m³)2 mg/m³Northwest TerritoriesOEL TWA (mg/m³)1 mg/m³OntarioOEL TWA (mg/m³)1 mg/m³Prince Edward IslandOEL TWA (mg/m³)0.2 mg/m³QuébecVEMP (mg/m³)1 mg/m³	Nova Scotia	OEL TWA (mg/m³)	0.2 mg/m ³
Northwest TerritoriesOEL STEL (mg/m³)2 mg/m³Northwest TerritoriesOEL TWA (mg/m³)1 mg/m³OntarioOEL TWA (mg/m³)1 mg/m³Prince Edward IslandOEL TWA (mg/m³)0.2 mg/m³QuébecVEMP (mg/m³)1 mg/m³	Nunavut	OEL STEL (mg/m³)	2 mg/m³
Northwest TerritoriesOEL TWA (mg/m³)1 mg/m³OntarioOEL TWA (mg/m³)1 mg/m³Prince Edward IslandOEL TWA (mg/m³)0.2 mg/m³QuébecVEMP (mg/m³)1 mg/m³	Nunavut	OEL TWA (mg/m³)	1 mg/m ³
Northwest TerritoriesOEL TWA (mg/m³)1 mg/m³OntarioOEL TWA (mg/m³)1 mg/m³Prince Edward IslandOEL TWA (mg/m³)0.2 mg/m³QuébecVEMP (mg/m³)1 mg/m³	Northwest Territories		_
Ontario OEL TWA (mg/m³) 1 mg/m³ Prince Edward Island OEL TWA (mg/m³) 0.2 mg/m³ Québec VEMP (mg/m³) 1 mg/m³	Northwest Territories		
Prince Edward IslandOEL TWA (mg/m³)0.2 mg/m³QuébecVEMP (mg/m³)1 mg/m³	Ontario		
Québec VEMP (mg/m³) 1 mg/m³			_
		, . ,	_
1 1 - UI	Saskatchewan	OEL STEL (mg/m³)	3 mg/m³

07/10/2024 Page **4** of **13**

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	II. 77, No. 58 / Monday, March 26, 2012 / Rules an	•
Saskatchewan	OEL TWA (mg/m³)	1 mg/m³
Yukon	OEL STEL (mg/m³)	2 mg/m³
Yukon	OEL TWA (mg/m³)	1 mg/m³
Nitroglycerin (55-63-0)		
Mexico	OEL TWA (mg/m³)	0.5 mg/m ³
Mexico	OEL TWA (ppm)	0.05 ppm
Mexico	OEL STEL (mg/m³)	1 mg/m³
Mexico	OEL STEL (ppm)	0.1 ppm
USA ACGIH	ACGIH TWA (ppm)	0.05 ppm
USA OSHA	OSHA PEL (Ceiling) (mg/m³)	2 mg/m³
USA OSHA	OSHA PEL (Ceiling) (ppm)	0.2 ppm
USA NIOSH	NIOSH REL (STEL) (mg/m³)	0.1 mg/m³
USA IDLH	US IDLH (mg/m³)	75 mg/m³
Alberta	OEL TWA (mg/m³)	0.5 mg/m ³
Alberta	OEL TWA (ppm)	0.05 ppm
British Columbia	OEL TWA (ppm)	0.05 ppm
Manitoba	OEL TWA (ppm)	0.05 ppm
New Brunswick	OEL TWA (mg/m³)	0.46 mg/m³
New Brunswick	OEL TWA (ppm)	0.05 ppm
Newfoundland & Labrador	OEL TWA (ppm)	0.05 ppm
Nova Scotia	OEL TWA (ppm)	0.05 ppm
Nunavut	OEL STEL (mg/m³)	0.46 mg/m ³
Nunavut	OEL STEL (ppm)	0.05 ppm
Nunavut	OEL TWA (mg/m³)	1.9 mg/m³
Nunavut	OEL TWA (ppm)	0.02 ppm
Northwest Territories	OEL STEL (mg/m³)	0.46 mg/m³
Northwest Territories	OEL STEL (ppm)	0.05 ppm
Northwest Territories	OEL TWA (mg/m³)	1.9 mg/m³
Northwest Territories	OEL TWA (ppm)	0.02 ppm
Ontario	OEL TWA (ppm)	0.05 ppm
Prince Edward Island	OEL TWA (ppm)	0.05 ppm
Québec	PLAFOND (mg/m³)	1.86 mg/m³
Québec	PLAFOND (ppm)	0.2 ppm
Saskatchewan	OEL STEL (ppm)	0.15 ppm
Saskatchewan	OEL TWA (ppm)	0.05 ppm
Yukon	OEL STEL (mg/m³)	2 mg/m³
Yukon	OEL STEL (ppm)	0.2 ppm
Yukon	OEL TWA (mg/m³)	2 mg/m³
Yukon	OEL TWA (ppm)	0.2 ppm
Lead (7439-92-1)	,	**
Mexico	OEL TWA (mg/m³)	0.15 mg/m³
USA ACGIH	ACGIH TWA (mg/m³)	0.05 mg/m³
USA OSHA	OSHA PEL (TWA) (mg/m³)	50 μg/m³
USA NIOSH	NIOSH REL (TWA) (mg/m³)	0.050 mg/m ³
USA IDLH	US IDLH (mg/m³)	100 mg/m³
Alberta	OEL TWA (mg/m³)	0.05 mg/m³
British Columbia	OEL TWA (mg/m³)	0.05 mg/m³
Manitoba	OEL TWA (mg/m³)	0.05 mg/m³
New Brunswick	OEL TWA (mg/m³)	0.05 mg/m³
Newfoundland & Labrador	OEL TWA (mg/m³)	0.05 mg/m³
Nova Scotia	OEL TWA (mg/m²)	0.05 mg/m³
Nunavut	OEL STEL (mg/m³)	0.45 mg/m³
Ivaliavat	OLL STEE (III8/III)	U.TJ III8/III

07/10/2024 Page **5** of **13**

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to rederal Register /	voi. 77, No. 36 / Monday, March 26, 2012 / Rules and	
Nunavut	OEL TWA (mg/m³)	0.15 mg/m³
Northwest Territories	OEL STEL (mg/m³)	0.45 mg/m ³
Northwest Territories	OEL TWA (mg/m³)	0.15 mg/m³
Ontario	OEL TWA (mg/m³)	0.05 mg/m³ (applies to workplaces to which the designated
		substances regulation does not apply)
Prince Edward Island	OEL TWA (mg/m³)	0.05 mg/m ³
Québec	VEMP (mg/m³)	0.05 mg/m ³
Saskatchewan	OEL STEL (mg/m³)	0.15 mg/m ³
Saskatchewan	OEL TWA (mg/m³)	0.05 mg/m ³
Yukon	OEL STEL (mg/m³)	0.45 mg/m ³
Yukon	OEL TWA (mg/m³)	0.15 mg/m ³
Tin (7440-31-5)		
Austria	MAK (mg/m³)	2 mg/m³ (inhalable fraction)
Austria	MAK Short time value (mg/m³)	4 mg/m³ (inhalable fraction)
Belgium	Limit value (mg/m³)	2 mg/m³
Belgium	OEL chemical category (BE)	Skin
Croatia	GVI (granična vrijednost izloženosti)	
	(mg/m³)	2 mg/m ³
Cyprus	OEL TWA (mg/m³)	2 mg/m³
Greece	OEL TWA (mg/m³)	2 mg/m³
USA ACGIH	ACGIH TWA (mg/m³)	2 mg/m³
Spain	VLA-ED (mg/m³)	2 mg/m³
Switzerland	OEL chemical category (CH)	Skin notation
Finland	HTP-arvo (8h) (mg/m³)	2 mg/m³
Ireland	OEL (8 hours ref) (mg/m³)	2 mg/m³
Ireland	OEL (15 min ref) (mg/m3)	6 mg/m³ (calculated)
Malta	OEL TWA (mg/m³)	2 mg/m³
Poland	NDS (mg/m³)	2 mg/m³ (inhalable fraction)
Slovenia	OEL TWA (mg/m³)	0,1 mg/m³ (inhalable fraction) 2 mg/m³ (inhalable fraction)
Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption
Sweden	nivågränsvärde (NVG) (mg/m³)	2 mg/m³ (total inhalable dust)
Portugal	OEL TWA (mg/m³)	2 mg/m³
Zinc (7440-66-6)	•	1
Switzerland	VLE (mg/m³)	0,4 mg/m³ (respirable dust)
Switzerland	VME (mg/m³)	0,1 mg/m³ (respirable dust) 2 mg/m³ (inhalable dust)
Iron (7439-89-6)		2 mg/m (minarable dust)
Bulgaria	OEL TWA (mg/m³)	6,0 mg/m³ (containing <2% free Crystalline silicon dioxide in respirable fraction-dust, inhalable fraction)
Slovakia	NPHV (priemerná) (mg/m³)	6,0 mg/m³ (total aerosol)
Tungsten (7440-33-7)		·
USA - OSHA	OSHA PEL (TWA) (mg/m³)	None Established
USA - ACGIH	ACGIH TLV	5 mg/m³10; mg/m³ (STEL)
Denmark	OEL TWA (mg/m³)	5 mg/m ³
		1

07/10/2024 Page **6** of **13**

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Netherlands	OEL TWA (mg/m³)	5 mg/m ³
Norway	OEL TWA (mg/m³)	5 mg/m ³
Poland	OEL TWA (mg/m³)	5 mg/m ³
Sweden	OEL TWA (mg/m³)	5 mg/m ³
UK	OEL TWA (mg/m³)	5 mg/m ³
Nitrocellulose (9004-70-0	0)	
USA - OSHA	OSHA PEL (TWA) (mg/m³)	None Established
USA - ACGIH	ACGIH TLV	None Established
International OELS	OEL TWA (mg/m³)	None Established
Bismuth (7440-69-9)		
USA – OSHA	OSHA PEL (TWA) (mg/m³)	None Established
USA - ACGIH	ACGIH TLV	None Established
International OELS	OEL TWA (mg/m³)	None Established

Exposure Controls

Viscosity:

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment: Gloves. Safety glasses.

Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: In case of projectile hazard: Safety glasses. Face shield. **Skin and Body Protection:** Wash contaminated clothing before reuse.

Respiratory Protection: Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

Environmental Exposure Controls: Do not allow the product to be released into the environment.

Other Information: Do not eat, drink or smoke during use. If noise levels exceed OSHA limits while firing this product, use hearing protection in accordance with OSHA's Hearing Conservation Standard, 29 CFR 1910.95.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State:

Appearance: Brass or nickel plated cup, plastic body of varying color.

Odor: Not available **Odor Threshold:** Not available Not available pH: Relative Evaporation Rate (butylacetate=1): Not available **Melting Point:** Not available Freezing Point: Not available **Boiling Point:** Not available Flash Point: Not available Auto-Ignition Temperature: Not available **Decomposition Temperature:** 82° C (180° F) Flammability (solid, gas): Not available **Lower Flammable Limit:** Not available **Upper Flammable Limit** Not available Not available Vapor Pressure: Relative Vapor Density at 20° C: Not available **Relative Density:** Not available Specific Gravity: Not available Solubility: Insoluble Partition Coefficient: n-octanol/water: Not available

Not available 07/10/2024 Page **7** of **13**

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosive Properties: Not available

Explosion Data – Sensitivity to Mechanical Impact: Sensitive to mechanical impact

Explosion Data – Sensitivity to Static Discharge: Insensitive

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Hazardous reactions are unlikely to occur under normal circumstances.

Chemical Stability: Stable under recommended handling and storage conditions (see section 7). However, because of the design of ammunition and its components, partial detonation upon impact or intense heat may occur. Mass detonation will not occur.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers.

Hazardous Decomposition Products: Metal oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

<u>Information on Toxicological Effects - Product</u>

Acute Toxicity: Not classified.

LD50 and LC50 Data:

HEVI-SHOT Nontoxic Shotshell	
ATE US (oral)	100.00 mg/kg body weight
ATE US (dermal)	300.00 mg/kg body weight
ATE US (dust, mist)	0.50 mg/l/4h

Skin Corrosion/Irritation: Not classified.
Serious Eye Damage/Irritation: Not classified.

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Not classified.

Teratogenicity: Not classified.

Carcinogenicity: Reasonably anticipated to be human carcinogen.

Specific Target Organ Toxicity (Repeated Exposure): Not classified.

Reproductive Toxicity: Not classified.

Specific Target Organ Toxicity (Single Exposure): Not classified.

Aspiration Hazard: Not classified.

Symptoms/Injuries After Inhalation: Not expected to be a primary route of exposure.

Symptoms/Injuries After Skin Contact: May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: None expected under normal conditions of use. **Symptoms/Injuries After Ingestion:** Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Zinc Oxide (1314-13-2)		
LD50 Oral Rat	> 5000 mg/kg	
ATE US (dust, mist)	5.80 mg/l/4h	
Nickel (7440-02-0)		
LD50 Oral Rat	> 9000 mg/kg	
Nitroglycerin (55-63-0)		
LD50 Oral Rat	105 mg/kg	
LD50 Dermal Rabbit	> 280 mg/kg	
ATE US (dust, mist)	0.05 mg/l/4h	
Nickel (7440-02-0)		
IARC Group	2B	
National Toxicity Program (NTP) Status	Reasonably anticipated to be Human Carcinogen.	

07/10/2024 Page **8** of **13**

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Lead (7439-92-1)	
IARC Group	2A
National Toxicity Program (NTP) Status Reasonably anticipated to be Human Carcinogen.	
Bismuth (7440-69-9)	
LD50 Oral Rat	5 g/kg

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Zinc oxide (1314-13-2)	
LC50 Fish 1	780 μg/l Species: Pimephales promelas
NOEC chronic fish	0.026 mg/l Species: Jordanella floridae
Nickel (7440-02-0)	
LC50 Fish 1	100 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)
EC50 Daphnia 1	100 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	1.3 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])
EC50 Daphnia 2	1 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
EC50 Other Aquatic Organisms 2	0.174 - 0.311 mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata [static])
Zinc (7440-66-6)	
LC50 Fish 1	2.16 - 3.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	0.139 - 0.908 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC 50 Fish 2	0.211 - 0.269 mg/l (Exposure time: 96 h - Species: Pimephales promelas [semi-static])
Copper (7440-50-8)	
LC50 Fish 1	≤ 0.0068 (0.0068 - 0.0156) mg/l (Exposure time: 96 h - Species: Pimephales promelas)
EC50 Daphnia 1	0.03 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
EC50 Other Aquatic Organisms 1	0.043 - 0.054 mg/l (Exposure time: 72 h - Species: Pseudokirchneriella subcapitata [static])
LC 50 Fish 2	0.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Other Aquatic Organisms 2	0.031 - 0.054 mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata [static])
Nitroglycerin (55-63-0)	
LC50 Fish 1	0.87 - 3.25 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 Daphnia 1	46 - 55 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	0.87 - 2.21 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 2	38 - 55 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

Persistence and Degradability

HEVI-SHOT Nontoxic Shotshell	
Persistence and Degradability Not established.	
Copper (7440-50-8)	
Persistence and Degradability Not readily biodegradable.	

Bioaccumulative Potential

HEVI-SHOT Nontoxic Shotshell	
Bioaccumulative Potential	Not established.

Mobility in Soil: Not available.

Other Adverse Effects: None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

Ecology – Waste Materials: Avoid release to the environment.

07/10/2024 Page **9** of **13**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport Information

14.1 In Accordance with DOT

Proper Shipping Name CARTRIDGES, SMALL

ARMS

Hazard Class1.4SIdentification NumberUN0012Label Codes1.4SPacking GroupNoneERG Number114

1.4

14.2 Domestic Ground Packaged per 49CFR173.63 Proper Shipping NameCARTRIDGES, SMALL

ARMS

Hazard Class1.4SIdentification NumberUN0012Label CodesNonePacking GroupNone

14.3 In Accordance with IMDG

Proper Shipping Name CARTRIDGES, SMALL

ARMS

Hazard Class1.4SIdentification NumberUN0012Label Codes1.4SEmS-No. (Fire)F-BEmS-No. (Spillage)S-X

14.4 In Accordance with IATA

Proper Shipping Name Check with air carrier

Hazard Class

Identification Number

Label Codes
Packing Group

14.5 In Accordance with TDG

Proper Shipping Name CARTRIDGES, SMALL

ARMS

Hazard Class 1.4S
Identification Number UN0012
Label Codes 1.4S
Packing Group None



Per 49CFR173.63(b): Limited quantities of Cartridges, small arms, Cartridges, power device, Cartridges for tools, blank, and Cases, cartridge, empty with primer. (1)(i) Cartridges, small arms, Cartridges, power device (used to project fastening devices), Cartridges for tools, blank, and Cases, cartridge, empty with primer that have been classed as Division 1.4S explosive may be offered for transportation and transported as limited quantities when packaged in accordance with paragraph (b)(2) of this section. Packages containing such articles may be marked with either the marking prescribed in §172.315(a) or (b) of this subchapter and offered for transportation and transported by any mode. For transportation by aircraft, the package must conform to the applicable requirements of §173.27 of this part. In addition, packages containing such articles offered for transportation by aircraft must be marked with the proper shipping name as prescribed in the §172.101 Hazardous Materials Table of this subchapter. Packages containing such articles are not subject to the shipping paper requirements of subpart C of part 172 of this subchapter unless the material meets the definition of a hazardous substance, hazardous waste, marine pollutant, or is offered for transportation and transported by aircraft or vessel. Additionally, packages containing such articles are excepted from the requirements of subparts E (Labeling) and F (Placarding) of part 172 of this

07/10/2024 Page **10** of **13**

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations subchapter.

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

OS rederal negulations		
HEVI-SHOT Nontoxic Shotshell		
SARA Section 311/312 Hazard Classes Immediate (acute) health hazard		
	Delayed (chronic) health hazard	
	Sudden release of pressure hazard	
Zinc oxide (1314-13-2)	·	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Nickel (7440-02-0)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed	
on SARA Section 313 (Specific toxic chemical listings)		
RQ (Reportable Quantity, Section 304 of EPA's List of Lists):	100 lb (only applicable if particles are < 100 μm)	
SARA Section 313 - Emission Reporting	0.1 %	
Zinc (7440-66-6)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed	
on SARA Section 313 (Specific toxic chemical listings)		
SARA Section 313 - Emission Reporting	1.0 % (dust or fume only)	
Nitrocellulose (9004-70-0)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Lead (7439-92-1)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed	
on SARA Section 313 (Specific toxic chemical listings)		
SARA Section 313 - Emission Reporting	0.1 %	
Copper (7440-50-8)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed	
on SARA Section 313 (Specific toxic chemical listings)		
SARA Section 313 - Emission Reporting	1.0 %	
Nitroglycerin (55-63-0)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed	
on SARA Section 313 (Specific toxic chemical listings)		
SARA Section 313 - Emission Reporting 1.0 %		
Bismuth (7440-69-9)		
Listed on the United States TSCA (Toxic Substances Control Act	inventory	

US State Regulations

Nickel (7440-02-0)	
U.S California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State
	of California to cause cancer.
Lead (7439-92-1)	
U.S California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State
	of California to cause cancer.
U.S California - Proposition 65 - Developmental Toxicity	WARNING: This product contains chemicals known to the
	State of California to cause birth defects.
U.S California - Proposition 65 - Reproductive Toxicity - Female	WARNING: This product contains chemicals known to the
	State of California to cause (Female) reproductive harm.
U.S California - Proposition 65 - Reproductive Toxicity - Male	WARNING: This product contains chemicals known to the State
	of California to cause (Male) reproductive harm.

07/10/2024 Page **11** of **13**

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

Nickel (7440-02-0)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) Special Hazardous Substances
- U.S. Pennsylvania RTK (Right to Know) List

Zinc (7440-66-6)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

Nitrocellulose (9004-70-0)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Lead (7439-92-1)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

Copper (7440-50-8)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

Nitroglycerin (55-63-0)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

Canadian Regulations

HEVI-SHOT Nontoxic Shotshell	
WHMIS Classification	Class D Division 2 Subdivision A - Very toxic material causing other toxic effects
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects Class F -
	Dangerously Reactive Material
	Note: Explosives are not regulated under WHMIS. They are subject to the regulations of the Explosives
	Act of Canada.
Lead dibydroxy[2.4.6-t	rinitro-1 3-hanzenediolato(2-\lidi- (12403-82-6)

Lead, dihydroxy[2,4,6-trinitro-1,3-benzenediolato(2-)]di- (12403-82-6)

Listed on Non-Domestic Substances List (NDSL)

Zinc oxide (1314-13-2)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Listed on the Canadian Ingredient Disclosure List

IDL Concentration 1 %

WHMIS Classification Uncontrolled product according to WHMIS classification criteria

Nickel (7440-02-0)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Listed on the Canadian Ingredient Disclosure List

IDL Concentration 0.1 %

07/10/2024 Page 12 of 13

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

or. 77, No. 58 / Wonday, March 26, 2012 / Rules and Regulations	
Class D Division 2 Subdivision A - Very toxic material causing other toxic effects	
Class D Division 2 Subdivision B - Toxic material causing other toxic effects	
omestic Substances List) inventory.	
Class B Division 6 - Reactive Flammable Material	
omestic Substances List) inventory.	
Class B Division 4 - Flammable Solid	
Class F - Dangerously Reactive Material	
omestic Substances List) inventory.	
lient Disclosure List	
Class D Division 2 Subdivision A - Very toxic material causing other toxic effects	
omestic Substances List) inventory.	
lient Disclosure List	
Uncontrolled product according to WHMIS classification criteria	
Listed on the Canadian DSL (Domestic Substances List) inventory.	
cid, 4-(aminoiminomethyl)-, 2-nitrosohydrazide (109-27-3)	
cances List (NDSL)	

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date: 07/10/2024

Other Information: This document has been prepared in accordance with the SDS requirements of the OSHA

Hazard Communication Standard 29 CFR 1910.1200.

Alt. product labeling: This product may also additionally contain the following label provided in accordance with

various State, Federal, and International regulations.



WARNING: Fire or projection hazard. Keep away from heat – no smoking. Do not subject to shock. Wear eye protection. Fight fire with normal precautions from a reasonable distance. Store and dispose of in accordance with local, national and international regulations.

Party Responsible for the Preparation of This Document

Federal Cartridge Company 900 Ehlen Drive Anoka, MN 55303 1-800-635-7656 dangerous.goods@tkghunt.com

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and

environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS US 2012 & WHMIS 2

07/10/2024 Page **13** of **13**