



LASER DEVICES, INC.
2 Harris Court, Suite A-4
Monterey, CA 93940 U.S.A.

Ph. 831-373-0701
Fax 831-373-0903

Email: Sales@laserdevices.com
www.laserdevices.com

© 2006 Laser Devices, Inc.
All Rights Reserved
Made in the U.S.A.

SHOTGUN RING MOUNTS



- ☐ Part No. 25000
- ☐ Part No. 25001
- ☐ Part No. 25004
- ☐ Part No. 25005



The Commandments of Firearms Safety

- ALWAYS keep the gun pointed in a safe direction.
- ALWAYS keep your finger off of the trigger until ready to shoot.
- ALWAYS keep the gun unloaded until ready to use.
- ALWAYS be sure the gun is safe to operate and the barrel is clear of any obstruction.
- ALWAYS use the proper factory made ammunition for your particular weapon.
- ALWAYS know your target and what is beyond it.
- ALWAYS wear eye and ear protection when shooting.
- ALWAYS store guns and ammunition in separate locked containers so they are secure and not accessible to children or unauthorized persons.
- ALWAYS treat every gun as if it were loaded.
- NEVER use alcohol or drugs while handling a gun.
- NEVER bring a loaded firearm into a building.
- NEVER transport a loaded firearm.

Mounting the Laser



Figure 5

Step 1. Insert the laser into the far right hole on the mount with the windage and elevation adjustment screws at 90 degrees. See Figure 5.

Step 2. Using an Allen wrench, securely tighten the hex screw. See Figure 6.



Figure 6

Mounting the Tactical Light



Figure 3

Step 1. Insert the tactical light into the far left hole on the mount. See Figure 3

Step 2. Using an Allen wrench, securely tighten the hex screw. See Figure 4.



Figure 4

Safety First

Unload your firearm (remove the magazine and any cartridge in the chamber) prior to mounting the laser or on your weapon. Familiarize yourself with the on/off switches for the laser. Make sure that the laser and the firearm are pointed in a safe direction prior to attaching the laser to the weapon.

Product Description

Laser Devices, Inc. supplies variety of mounts for use on a wide assortment of popular shotguns. All mounts are supplied with mounting hardware and hex key, and can be used to attach either a tactical light, aiming laser or both if applicable.

Warranty

Laser Devices, Inc. (LDI) offers a one (1) year limited warranty from the original purchase date against failure due to defect in design, parts and workmanship. This warranty is void if the product has been misused, modified or neglected. LDI will replace defective products at its discretion. To the maximum extent permitted by law, LDI disclaims all other warranties, whether expressed or implied, including but not limited to, implied warranties of merchantability and fitness for a particular purpose. In no event shall LDI or its suppliers, distributors, dealers or agents be liable for any damages whatsoever (including without limitation damages for personal injury, wrongful death or pecuniary loss) arising out of the use of the inability to use any LDI manufactured product. This limited warranty gives the purchaser specific legal rights which may vary by state and jurisdiction.

Installing the Mount



Figure 1

Step 1. Confirm that your weapon is completely unloaded (check the chamber and the magazine).

Step 2. Remove the barrel of the shotgun and the magazine endcap.

Step 3. Slide the center hole of the mount onto the magazine tube then reinstall the shotgun barrel and the magazine endcap. See Figure 1.

Step 4. Using the access hole on the far left side of the mount, securely tighten the hex screw to the magazine tube. See Figure 2.

Installing the Mount (continued)



Figure 2

NOTE

- Magazine extension (LDI Part No. 25009) is required for users with Remington 870 models.
- For best light pattern and functionality, install the mount as far forward as possible.
- If installing a tactical light, make sure to position the mount so that the head of the light does not extend beyond the barrel.