

For Patent Information go to <https://goo.gl/2z62aS>

GLX[®] 2X PRISM


RETICLE MANUAL

ACSS[®] GEMINI[™]

THE ACSS GEMINI RETICLE

The ACSS Gemini reticle combines bullet drop compensation with auto ranging and moving target leads to get you on target fast. A center chevron sits above two bullet drop dots, surrounded by a large horseshoe. Horizontal ranging bars are located below the chevron and horseshoe. Illumination is provided in red.


FAST ACQUISITION




Precision, Aiming Point

BULLET DROP COMPENSATION (BDC)

Zero to the tip of the chevron according to the guideline that closest matches your setup. Depending on the zeroing distance, tuning will be required for precision beyond 150 yards. At close range, use the bold outer horseshoe for rapid target acquisition.



9mm Long Range Barrel 16" BDC




LEADING YOUR TARGET

The outer edge of the large horseshoe serves as a lead indicator for targets moving at approximately 8.6 mph. If the target is moving left to right, use the left edge of the horseshoe. If the target is moving right to left, use the right edge.



THE RANGING SCALE

The ranging bars underneath the chevron and horseshoe are not aiming points and are not illuminated. Use them to quickly find the range to your target, so you can determine which aiming point to use. They are calibrated for a target approximately 36" vertical spacing and 18" wide. To range vertically, line up the bottom of the target with the fourth ranging bar, then observe which bar is closest to the target's top. The three top bars denote distances of 100, 150, and 200 yards. The chevron's width will range a 6" diameter target at 200 yards. The first BDC dot will range a 6" diameter target at 150 yards, and the second dot will range a 6" diameter target at 200 yards.





WARRANTY

Your Primary Arms GLx prism scope is covered by the Primary Arms Lifetime Warranty. If a defect due to materials or workmanship, or even normal wear and tear has caused your product to malfunction, Primary Arms will either repair or replace your product. You can find more details about our lifetime warranty at www.primaryarmsoptics.com.

Email: info@primaryarmsoptics.com

713-344-9600

www.primaryarmsoptics.com

For more information on these body scopes go to
<http://primaryarmsoptics.com/product-category/prism-scopes/glx-prism-scopes/>