



TRIJICON
ACOG®

THE SCOPE THAT CHANGED EVERYTHING

There's a reason the Trijicon ACOG® (Advanced Combat Optical Gunsight) is the official medium-distance engagement optic of the U.S. Special Operations Forces and Marine Corps. And there's a reason over one million ACOGs have been produced. They offer an illuminated reticle pattern for use in bright to low/no light, along with legendary durability and reliability. In fact, every feature of its design was chosen for a single purpose: to provide increased hit potential in all lighting conditions.

MODELS



1.5x16S



1.5x24



2x20



3x24



3x30



3.5x35



3.5x35 LED



4x32



4x32 BAC



4x32 LED



5.5x50



6x48

TRIJICON ACOG®

FEATURES

BATTERY-FREE ILLUMINATION

Most ACOG® models feature a tritium/fiber optic illuminated reticle that automatically adjusts the brightness based on available light.

RUGGED ALUMINUM-ALLOY HOUSING

Forged 7075-T6 aircraft-aluminum-alloy housing provides for a nearly indestructible sighting system.

“BOTH EYES OPEN” DESIGN

The ACOG can be used as a CQB sight when shooting “both eyes open,” utilizing the Bindon Aiming Concept (see pg. 7).

SUPERIOR QUALITY GLASS LENSES

Multi-coated lenses provide superior clarity and light-gathering capabilities with zero distortion.

FIXED MAGNIFICATION

Fewer moving parts than a variable optic equals more durability. Seven magnifications available: 1.5x, 2x, 3x, 3.5x, 4x, 5.5x, and 6x.

BULLET DROP COMPENSATING & RANGING RETICLES

Available in most models.

COMBAT PROVEN

No other magnified optic has been used more in combat than the ACOG.

SHOCK-RESISTANT

Proven to withstand recoil from a .22LR to a .50BMG and everything in between. Easily passes U.S. Military drop test requirements.

WATERPROOF

Dry-nitrogen-filled to eliminate fogging. Five times more waterproof than military standard requirements.

LIMITED LIFETIME WARRANTY

Tritium lamp is warranted to illuminate for 15 years on fiber optic scopes and 10 years on non-fiber optic scopes.



“I can't speak highly enough of this scope. It has been strapped to my leg through 37 airborne operations, 7 fast ropes in the mountains of the Korengal Valley and hundreds of combat patrols with zero failure. Thank you for such a great product.”

*— Staff Sergeant
Donovan Burson
Pathfinder Company*



SPECIFICATIONS

| | 1.5X16S | 1.5X24 | 2X20 | 3X24 | 3X30 | 3.5X35 |
|--------------------------------------|--|--|--|--|--|--|
| MAGNIFICATION | 1.5x | 1.5x | 2x | 3x | 3x | 3.5x |
| OBJECTIVE LENS | 16mm | 24mm | 20mm | 24mm | 30mm | 35mm |
| EYE RELIEF | 2.4 in. 61.0mm | 3.6 in. 91.4mm | 2.1 in. 53.3mm | 1.4 in. 35.6mm | 1.9 in. 48.3mm | 2.4 in. 61.0mm |
| EXIT PUPIL | 0.42 in. 10.7mm | 0.63 in. 16.0mm | 0.39 in. 10.0mm | 0.31 in. 8.0mm | 0.33 in. 8.4mm | 0.39 in. 10.0mm |
| FIELD OF VIEW (DEGREES) | 7.4° | 4.9° | 5.6° | 4.9° | 3.7° | 5.5° |
| FIELD OF VIEW | 39.0 ft. @ 100 yds. 12.9m @ 100m | 25.6 ft. @ 100 yds. 8.6m @ 100m | 29.3 ft. @ 100 yds. 9.8m @ 100m | 25.6 ft. @ 100 yds. 8.6m @ 100m | 19.3 ft. @ 100 yds. 6.5m @ 100m | 28.9 ft. @ 100 yds. 9.6m @ 100m |
| ADJUSTMENTS (PER IN. @ 100 YDS.) | 2 Clicks | 2 Clicks | 2 Clicks | 2 Clicks | 4 Clicks | 3 Clicks |
| DIMENSIONS (L X W X H) WITHOUT MOUNT | 4.0 x 1.6 x 2.1 in. 102 x 42 x 53mm | 5.8 x 1.6 x 2.1 in. 147 x 42 x 53mm | 5.3 x 1.6 x 2.1 in. 135 x 42 x 53mm | 5.0 x 1.8 x 2.1 in. 127 x 46 x 53mm | 6.1 x 1.6 x 2.1 in. 155 x 42 x 53mm | 8.0 x 2.1 x 2.9 in. 203 x 53 x 73mm |
| WEIGHT WITHOUT MOUNT | 5.1 oz. 144.5g | 6.3 oz. 179.1g | 6.4 oz. 180.6g | 6.1 oz. 173g | 7.8 oz. 221.1g | 14 oz. 397g |
| ILLUMINATION SOURCE | Fiber Optics & Tritium | Fiber Optics & Tritium | Fiber Optics & Tritium | Fiber Optics & Tritium | Fiber Optics & Tritium | Fiber Optics & Tritium |
| BATTERY LIFE | N/A | N/A | N/A | N/A | N/A | N/A |
| RETICLE CALIBRATION | N/A | N/A | N/A | .223 / 7.62x39 | .223 / .308 / 7.62x39 / 300 BLK | .223 / .308 / M193 / 300 BLK |

| 3.5X35 LED | 4X32 | 4X32 BAC | 4X32 LED | 5.5X50 | 6X48 |
|--|--|--|--|---|--|
| 3.5x | 4x | 4x | 4x | 5.5x | 6x |
| 35mm | 32mm | 32mm | 32mm | 50mm | 48mm |
| 2.4 in. 61.0mm | 1.5 in. 38.1mm | 1.5 in. 38.1mm | 1.5 in. 38.1mm | 2.2 in. 55.9mm | 2.7 in. 68.6mm |
| 0.39 in. 10.0mm | 0.32 in. 8.1mm | 0.32 in. 8.1mm | 0.32 in. 8.1mm | 0.36 in. 9.1mm | 0.32 in. 8.1mm |
| 5.5° | 7.0° | 7.0° | 7.0° | 3.5° | 3.3° |
| 28.9 ft. @ 100 yds. 9.6m @ 100m | 36.6 ft. @ 100 yds. 12.2 @ 100m | 36.6 ft. @ 100 yds. 12.2 @ 100m | 36.6 ft. @ 100 yds. 12.2 @ 100m | 18.3 ft. @ 100 yds. 6.1m @ 100m | 17.3 ft. @ 100 yds. 5.8m @ 100m |
| 2 Clicks per in. @ 100m | 2 Clicks | 2 Clicks | 2 Clicks per in. @ 100m | 5 Clicks | 4 Clicks |
| 8.0 x 3.0 x 2.6 in. 203 x 76 x 66mm | 5.8 x 2.0 x 2.3 in. 147 x 51 x 58mm | 5.9 x 2.0 x 2.5 in. 150 x 51 x 64mm | 6.0 x 2.9 x 2.5 in. 153 x 74 x 64mm | 12.0 x 2.5 x 2.7 in. 305 x 64 x 69mm | 9.0 x 2.9 x 3.4 in. 229 x 74 x 86mm |
| 16.8 oz. 476.3g | 10.9 oz. 309g | 10.5 oz. 297.5g | 14.3 oz. 406g | 25.6 oz. 725.8g | 36.9 oz. 1046.1g |
| LED Powered by a AA Battery | Tritium Only | Fiber Optics & Tritium | LED Powered by a AA Battery | Fiber Optics & Tritium | Fiber Optics & Tritium |
| 12,000 hours* + | N/A | N/A | 12,000 hours* + | N/A | N/A |
| .223 / .308 | .223 / .308 | .223 / .308 / M193 / 300 BLK / 6.8 SPC | .223 / 300 BLK | .223 / .308 | .223 / .308 / .50 BMG |


*When used at 70°F (21°C) on setting 4 of 6 with supplied alkaline battery. Extreme temperatures (high or low) will affect battery performance.

1.5x16S



Dual-Illuminated Circle Dot Reticle (Black Finish)

Standard Height: ■ TA44-C-400141 ■ TA44-C-400138 ■ TA44-C-400140
 Low Height: ■ TA44-C-400241 ■ TA44-C-400242 ■ TA44-C-400243



Circle Dot

1.5x24




Dual-Illuminated Triangle Reticle with TA60 Mount (Black Finish)

Standard Height: ■ TA45-C-400156 ■ TA45-C-400153

Dual-Illuminated Crosshair Reticle with TA60 Mount (Black Finish)

Standard Height: ■ TA45-C-400157 ■ TA45-C-400154



Triangle



Crosshair

2x20



Dual-Illuminated Triangle Reticle (Black Finish)

Standard Height: ■ TA47-C-400150 ■ TA47-C-400146

Dual-Illuminated Crosshair Reticle (Black Finish)

Standard Height: ■ TA47-C-400151 ■ TA47-C-400147 ■ TA47-C-400149

Dual-Illuminated Dot Reticle (Black Finish)

Standard Height: ■ TA47-C-400152 ■ TA47-C-400148



Dot



Triangle



Crosshair

3x24



Dual-Illuminated Crosshair .223/55gr. Ballistic Reticle (Black Finish)

Standard Height: ■ TA50-C-400223 ■ TA50-C-400225 ■ TA50-C-400224
 Low Height: ■ TA50-C-400229 ■ TA50-C-400231 ■ TA50-C-400230

Dual-Illuminated Horseshoe/Dot .223/55gr. Ballistic Reticle (Black Finish)

Standard Height: ■ TA50-C-400226 ■ TA50-C-400228 ■ TA50-C-400227
 Low Height: ■ TA50-C-400232 ■ TA50-C-400234 ■ TA50-C-400233

Dual-Illuminated Crosshair 7.62x39/123gr. Ballistic Reticle (Black Finish)


Low Height: ■ TA50-C-400235 ■ TA50-C-400237 ■ TA50-C-400236

Dual-Illuminated Horseshoe/Dot 7.62x39 Ballistic Reticle (Black Finish)

Low Height: ■ TA50-C-400238 ■ TA50-C-400240 ■ TA50-C-400239



Crosshair (.223)



Horseshoe/Dot (.223)



Crosshair (7.62x39)



Horseshoe/Dot (7.62x39)

3x30



Dual-Illuminated Chevron .223 Ballistic Reticle with TA60 Mount (Black Finish)

Standard Height: ■ TA33-C-400135 ■ TA33-C-400127 ■ TA33-C-400118

Dual-Illuminated Chevron .308 Ballistic Reticle with TA60 Mount (Black Finish)

Standard Height: ■ TA33-C-400136 ■ TA33-C-400128 ■ TA33-C-400120

Dual-Illuminated Horseshoe/Dot .223 Ballistic Reticle with TA60 Mount (Black Finish)

Standard Height: ■ TA33-C-400137 ■ TA33-C-400129 ■ TA33-C-400130

Dual-Illuminated Crosshair .223 Remington Ballistic Reticle with TA60 Mount (Black Finish)

Standard Height: ■ TA33-C-400132 ■ TA33-C-400124 ■ TA33-C-400121

Dual-Illuminated Crosshair .308 Winchester Ballistic Reticle with TA60 Mount (Black Finish)


Standard Height: ■ TA33-C-400133 ■ TA33-C-400125 ■ TA33-C-400122

Dual-Illuminated Horseshoe/Dot 7.62x39 Ballistic Reticle with TA51 Mount (Black Finish)


Standard Height: ■ TA33-C-400134 ■ TA33-C-400126 ■ TA33-C-400123

Dual-Illuminated Crosshair 300BLK Ballistic Reticle with TA60 Mount (Black Finish)

Standard Height: ■ TA33-C-400164 ■ TA33-C-400163 ■ TA33-C-400162




Chevron



Horseshoe/Dot (.223)



Crosshair



Horseshoe/Dot (7.62x39)



Crosshair (300BLK)

3.5x35



Dual-Illuminated Donut .223 Ballistic Reticle
Black: ■ TA11 ■ TA11-G

Dual-Illuminated Circle/Chevron Reticle
Black: ■ TA11B

Dual-Illuminated Donut .308 Ballistic Reticle
Black: ■ TA11C

Dual-Illuminated Triangle .223 Ballistic Reticle ITAR
Black: ■ TA11D

Dual-Illuminated Chevron .308 Ballistic Reticle with TA51 Mount
Black: ■ TA11E ■ TA11E-G ■ TA11E-A

Dual-Illuminated Chevron .223 Ballistic Reticle with TA51 Mount
Black: ■ TA11F ■ TA11F-G ■ TA11F-A
Nickel Boron: ■ TA11-C-100200 ■ TA11-C-100201

Dual-Illuminated Horseshoe/Dot .223 Ballistic Reticle with TA51 Mount ITAR
Black: ■ TA11H ■ TA11H-G
Nickel Boron: ■ TA11-D-100202 ■ TA11-D-100203

Dual-Illuminated Horseshoe/Dot .308 M240 BDC Reticle with TA51 Mount ITAR
Black: ■ TA11H-308 ■ TA11H-308G

Dual-Illuminated Crosshair .223 Ballistic Reticle with TA51 Mount ITAR
Black: ■ TA11J ■ TA11J-G ■ TA11J-A
Nickel Boron: ■ TA11-D-100204 ■ TA11-D-100205

Dual-Illuminated Crosshair .308 Ballistic Reticle with TA51 Mount ITAR
Black: ■ TA11J-308 ■ TA11J-308G ■ TA11J308-A

Dual-Illuminated Horseshoe/Dot .223 M249 Ballistic Reticle with GDI Mount and ARD ITAR
Black: ■ TA11MGO-M249

Dual-Illuminated Crosshair 300 BLK Ballistic Reticle with TA51 Mount
Black: ■ TA11-C-100414 ■ TA11-C-100416 ■ TA11-C-100415


Dual-Illuminated Chevron M193 Reticle with TA51 Mount ITAR
Black: ■ TA11-D-100291 ■ TA11-D-100293 ■ TA11-D-100292



Donut



Triangle




Chevron



Circle Chevron




Horseshoe/Dot



Crosshair



Crosshair (300BLK)



Horseshoe/Dot (M249)

3.5x35 LED



LED-Illuminated Chevron .223 Ballistic Reticle with TA51 Mount
Black: ■ TA110-C-100491 ■ TA110-C-100492


LED-Illuminated Horseshoe/Dot .223 Ballistic Reticle with TA51 Mount ITAR
Black: ■ TA110-D-100493 ■ TA110-D-100494

LED-Illuminated Crosshair .223 Ballistic Reticle with TA51 Mount ITAR
Black: ■ TA110-D-100495 ■ TA110-D-100496

LED-Illuminated Chevron .308 Ballistic Reticle with TA51 Mount
Black: ■ TA110-C-100497 ■ TA110-C-100498

LED-Illuminated Horseshoe/Dot .308 Ballistic Reticle with TA51 Mount ITAR
Black: ■ TA110-D-100499 ■ TA110-D-100500

LED-Illuminated Crosshair .308 Ballistic Reticle with TA51 Mount ITAR
Black: ■ TA110-D-100501 ■ TA110-D-100502



Chevron



Crosshair



Horseshoe/Dot

4x32



Full-Illumination Crosshair .223 Ballistic Reticle

Black: ■ TA01

Full-Illumination Crosshair .308 Ballistic Reticle

Black: ■ TA01B

Illuminated LAPD Crosshair Reticle

Black: ■ TA01LAW

Center-Illuminated Crosshair .223 Ballistic Reticle, TA51 Mount, Backup Iron Sights and Dust Cover

Black: ■ TA01NSN


Sniper Gray: ■ TA01-D-100317

OD Green: ■ TA01-D-100318

FDE: ■ TA01-D-100319

Center-Illuminated Crosshair .308 Ballistic Reticle, TA51 Mount, Backup Iron Sights and Dust Cover

Black: ■ TA01NSN-308



Full-Illumination Crosshair



LAPD Crosshair



Center-Illuminated Crosshair

4x32 LED



LED-Illuminated Crosshair .223 Ballistic Reticle with TA51 Mount

Black: ■ TA02 ■ TA02-C-100390

LED-Illuminated Crosshair 300 BLK Ballistic Reticle with TA51 Mount

Black: ■ TA02-C-100431 ■ TA02-C-100432

LED-Illuminated Chevron .223 Ballistic Reticle with TA51 Mount

Black: ■ TA02-D-100393 ■ TA02-D-100391

LED-Illuminated Horseshoe/Dot .223 Ballistic Reticle with TA51 Mount


Black: ■ TA02-D-100394 ■ TA02-D-100392




Crosshair



Crosshair (300BLK)



Chevron



Horseshoe/Dot

4x32 BAC



Dual-Illuminated Donut .223 Ballistic Reticle

Black: ■ TA31 ■ TA31-G

Dual-Illuminated Triangle .223 Ballistic Reticle

Black: ■ TA31A

Dual-Illuminated Crosshair .223 Ballistic Reticle with TA51 Mount

Black: ■ TA31-CH ■ TA31-CH-G

Sniper Gray: ■ TA31-C-100370 ■ TA31-C-100378

OD Green: ■ TA31-C-100371 ■ TA31-C-100379

FDE: ■ TA31-C-100372 ■ TA31-C-100380

Nickel Boron: ■ TA31-C-100198 ■ TA31-C-100199

Dual-Illuminated Chevron .223 Ballistic Reticle with TA51 Mount

Black: ■ TA31F ■ TA31F-G ■ TA31F-A

Sniper Gray: ■ TA31-D-100308 ■ TA31-D-100311

OD Green: ■ TA31-D-100309 ■ TA31-D-100312

FDE: ■ TA31-D-100310 ■ TA31-D-100313

Nickel Boron: ■ TA31-D-100194 ■ TA31-D-100195

Dual-Illuminated Horseshoe/Dot .223 Ballistic Reticle with TA51 Mount

Black: ■ TA31H ■ TA31H-G ■ TA31H-A

Sniper Gray: ■ TA31-D-100365 ■ TA31-D-100366

OD Green: ■ TA31-D-100367

FDE: ■ TA31-D-100196 ■ TA31-D-100197

Dual-Illuminated Horseshoe/Dot 6.8 Ballistic Reticle with TA51 Mount

Black: ■ TA31H-68 ■ TA31H-68-G ■ TA31H-68-A

Dual-Illuminated ARMY Rifle Combat Optic for the M150 with Chevron Reticle and TA51 Mount

Black: ■ TA31RCO-M150CP ■ TA31RCO-M150CP-G

Dual-Illuminated USMC Rifle Combat Optic for the M4 with Chevron Reticle and TA51 Mount

Black: ■ TA31RCO-M4CP

Dual-Illuminated USMC Rifle Combat Optic for the A4 with Chevron Reticle and TA51 Mount


Black: ■ TA31RCO-A4CP

Dual-Illuminated Crosshair 300 BLK Ballistic Reticle with TA51 Mount


Black: ■ TA31-C-100411 ■ TA31-C-100413 ■ TA31-C-100412

Dual-Illuminated M193 Reticle with TA51 Mount


Black: ■ TA31-D-100288 ■ TA31-D-100290 ■ TA31-D-100289



Donut




Triangle




Crosshair



Chevron



Horseshoe Dot



Chevron (RCO)




Crosshair (300BLK)

5.5x50



Dual-Illuminated Chevron .223 Ballistic Reticle with TA51 Mount
Black: ■ TA55

Dual-Illuminated Chevron .308 Ballistic Reticle with TA51 Mount
Black: ■ TA55A



Chevron

6x48



Dual-Illuminated Chevron .223 Ballistic Reticle with TA75 Mount & M1913 Rail **ITAR**
Black: ■ TA648 ■ TA648-G ■ TA648-A

Dual-Illuminated Chevron .308 Ballistic Reticle with TA75 Mount & M1913 Rail **ITAR**
Black: ■ TA648-308 ■ TA648-308G ■ TA648-308A

Dual-Illuminated Horseshoe/Dot .308 Ballistic Reticle with TA75 Mount & M1913 Rail **ITAR**
Black: ■ TA648-308H

Dual-Illuminated Chevron .50 BMG Ballistic Reticle with TA75 Mount & M1913 Rail **ITAR**
Black: ■ TA648-50 ■ TA648-50G ■ TA648-50A

Dual-Illuminated Horseshoe/Dot .50 M2 Ballistic Reticle, GDI Mount, ARD & M1913 Rail **ITAR**
Black: ■ TA648MGO-M2

Dual-Illuminated Horseshoe/Dot .308 M240 Ballistic Reticle, GDI Mount, ARD & M1913 Rail **ITAR**
Black: ■ TA648MGO-M240



Chevron (.223)




Chevron (.308)



Chevron (.50)



Horseshoe/Dot (.308)



Horseshoe/Dot (.50)



Horseshoe/Dot (.308)



TRIJICON

ACOG®/RMR® COMBO

THE ULTIMATE SIGHT FOR CQB AND LONG DISTANCE

This dual-sighting system gives the shooter a distinct tactical advantage with the option of either the Trijicon ACOG® or the RMR®. For quick target acquisition, choose the RMR. For accuracy and pinpoint bullet placement at a distance, choose the magnified ACOG. You have the best of both worlds. No tools are needed for windage and elevation adjustments because the ACOG also features external windage and elevation adjusters.

MODELS



4x32



3x30



6x48



3.5x35

ACOG®/RMR® COMBO

ACOG®/RMR® COMBO



3x30 ACOG® Dual-Illuminated Horseshoe/Dot .223 Ballistic Reticle with TA60 Mount
LED RMR® 3.25 MOA Red Dot Sight

Black: TA33-C-400131 TA33-C-400117

3x30 ACOG Dual-Illuminated Chevron .223 Ballistic Reticle with TA60 Mount
Dual-Illuminated RMR 9.0 MOA Dot Sight

Black: TA33-C-400119 TA33-C-400160

3.5x35 ACOG Dual-Illuminated Crosshair .223 Ballistic Reticle with TA51 Mount
LED RMR 3.25 MOA Red Dot Sight **ITAR**

Black: TA11J-RMR

3.5x35 ACOG Dual-Illuminated Crosshair M249 Ballistic Reticle with LaRue Tactical Mount
Dual-Illuminated RMR 9.0 MOA Amber Dot Sight **ITAR**

Black: TA11SDO-CP

3.5x35 ACOG Dual-Illuminated Chevron .223 Ballistic Reticle with TA51 Mount
Adjustable LED RMR 3.25 MOA Red Dot Sight

Black: TA11-C-100238

4x32 ACOG Center-Illuminated Crosshair .223 Ballistic Reticle with BUIS, Quick-Release Mount
LED RMR 3.25 MOA Red Dot Sight **ITAR**




FDE: TA01ECOS

4x32 ACOG Center-Illuminated Crosshair .223 Ballistic Reticle with TA51 Mount
LED RMR 3.25 MOA Red Dot Sight **ITAR**

Black: TA01NSN-RMR

4x32 ACOG Dual-Illuminated Crosshair .223 Ballistic Reticle with BUIS, Quick-Release Mount
LED RMR 3.25 MOA Red Dot Sight **ITAR**

FDE: TA31ECOS TA31ECOS-G



ACOG®/RMR® COMBO



4x32 ACOG® Dual-Illuminated Crosshair .223 Ballistic Reticle with TA51 Mount
LED RMR® 3.25 MOA Red Dot Sight

Black: TA31RMR TA31RMR-A TA31RMR-G

4x32 ACOG Dual-Illuminated Chevron .223 Ballistic Reticle with TA51 Mount
LED RMR 3.25 MOA Red Dot Sight **ITAR**

Black: TA31F-RMR TA31F-G-RMR

Sniper Gray: TA31-D-100322

OD Green: TA31-D-100323

FDE: TA31-D-100324

4x32 ACOG Dual-Illuminated Crosshair .223 Ballistic Reticle with TA51 Mount
Dual-Illuminated RMR 7.0 MOA Amber Dot Sight

Black: TA31RM04

4x32 LED ACOG Illuminated Crosshair .223 Ballistic Reticle with TA51 Mount
LED RMR 3.25 MOA Red Dot Sight

Black: TA02-RM01

4x32 LED ACOG Illuminated Crosshair .223 Ballistic Reticle with TA51 Mount
Adjustable LED RMR 3.25 MOA Red Dot Sight

Black: TA02-RM06

6x48 ACOG Dual-Illuminated Chevron .223 Ballistic Reticle with TA75 Mount
LED RMR 6.5 MOA Red Dot Sight **ITAR**


Black: TA648RMR TA648RMR-A

6x48 ACOG Dual-Illuminated Chevron .308 Ballistic Reticle with TA75 Mount
LED RMR 6.5 MOA Red Dot Sight **ITAR**

Black: TA648RMR-308 TA648RMR-308A

6x48 ACOG Dual-Illuminated Chevron .500 Ballistic Reticle with TA75 Mount
LED RMR 6.5 MOA Red Dot Sight **ITAR**


Black: TA648RMR-50



ACOG®/RMR® COMBO



6x48 ACOG® Dual-Illuminated Horseshoe/Dot M240 BDC Reticle with LT644MDO-A Mount
Dual-Illuminated RMR® 9.0 MOA Amber Dot Sight **ITAR**
Black: ■ TA648MDO



TRIJICON ACOG®/RMR® COMBO



ITAR ITAR controlled item. For export restrictions on all products, see page 169.
Reticles not shown to scale. For a full view of reticles, please visit our website at trijicon.com.