

# **Trijicon**<sup>®</sup>

# Suppressor/Optic Height Sights



Trijicon® Suppressor/Optic Height Sights continue the low-light and no-light prowess of the original **Bright & Tough Night Sights**. With unique versatility for the ever evolving pistol landscape, Trijicon® Suppressor/Optic Height Sights are designed for pistols fitted with suppressors and also as a backup iron sight for pistolmounted red dots.



Co-Witness Compatible



Built Trijicon® Touah



No-Light/ Low-Light Visibility

# The Science of Brilliant<sup>®</sup>

At Trijicon, we are bound by a commitment to industry-leading research, design, and testing to seek innovative aiming solutions that constantly redefine "brilliant." That's why Trijicon products are subjected to the below testing methods.



Alaska-to-Africa Tested | Solid Zero Tested Vibration Tested | Drop Tested


# Suppressor or Red Dot, This is the Solution for Your Pistol

- Ready for Backup
  - Works with pistol mounted red dots so you always have an aiming solution.
- 2 Instant Sight Picture in No-Light and Low-Light Situations
  - Tritium phosphor-filled glass lamp provides battery- free illumination for a visible sight picture in all lighting situations.
- Trijicon Durability
  - Engineered and manufactured in Wixom, Michigan, applying decades of knowledge and experience devising battle-proven tritium and fiber optic aiming solutions.

Visit Trijicon.com/Science to learn more.

# Features and Benefits





**Increased Height To Accommodate Multiple Applications** 

> Specifically engineered to be as robust as possible for use with a suppressor or as backup iron sights for a slide-mounted red dot sight.

**Instant Sight Picture in No-Light and Low-Light Situations** 

Tritium illumination for a visible sight picture in any lighting condition.

**Enhanced Protection from Heavy Recoil and Harsh Cleaning Solvents** 

Tritium gas lamps are contained within protective aluminum cylinders cushioned with silicone for maximum durability.

- **Evenly Distributed Light From Tritium Lamps** Each Trijicon® tritium lamp is capped with a sapphire jewel that helps evenly distribute the light and also acts as an additional layer of protection from puncture and cleaning solvents.
- **Front Sight Color Options** Trijicon Suppressor/Optic Height sights include a sapphire-capped green tritium vial and a variety of painted front outline color options.



Black front paint: ideal for users looking for a backup iron sight solution that wants to keep focus on their red dot aiming point.



White front paint: ideal as a backup iron sight that gives users the extra edge in co-witnessesing with their red dot and quick alignment.



Yellow or Orange HD Paint: For users that want a bright, fast front sigh picture in any lighting condition.

# Color Options



### **GLOCK®** Color Combinations









Front Sight Color Options: HD Yellow - HD Orange - Black - White



Black Rear Sight Option



White Rear Sight Option









Front: Green Lamp Rear: Green Lamps












Front: Green Lamp Rear: Orange Lamps\*





# Available Models



### **Product Key**

FO / RO / RL - Front Outline / Rear Outline / Rear Lamp ■ - Front Outline Colors

> ■ Z - Rear Outline Colors ■ ■ Z - Rear Lamp Colors

All Front Tritium Lamps Are Green

# **GLOCK®**



### **Standard Frame Models**

FO RO RL	GL201-C-600649
FO 🗆 RO 🗆 RL 💻	GL201-C-600650
FO 🗆 RO 🗆 RL 💻	GL201-C-600651
FO □ RO ■ RL ■	GL201-C-600658
FO RO RL	GL201-C-600659
FO 🗆 RO <b>I</b> RL	GL201-C-600660
FO ■ RO ■ RL ■	GL201-C-600661
FO ■ RO ■ RL ■	GL201-C-600662
FO ■ RO ■ RL ■	GL201-C-600663
FO ■ RO ■ RL ■	GL201-C-601134
FO RORR	GL201-C-601135
FO 🗆 RO 🗷 RL 🖊	GL201-C-601136
FO ■ RO 🗷 RL 🖊	GL201-C-601137
FO RO RL	GL201-C-601138
FO RO RL	GL201-C-601139

# **Large Frame Models**

FO 🗆 RO 🗆 RL 💻	GL204-C-600689
FO 🗆 RO 🗆 RL 💻	GL204-C-600690
FO 🗆 RO 🗆 RL 📙	GL204-C-600691
FO 🗆 RO 🔳 RL 💻	GL204-C-600695
FO 🗆 RO 🔳 RL 💻	GL204-C-600696
FO 🗆 RO 🔳 RL 📙	GL204-C-600697
FO 🔳 RO 🔳 RL 🔲	GL204-C-600698
FO 🔳 RO 🔳 RL 📙	GL204-C-600699
FO 🔳 RO 🔳 RL 📙	GL204-C-600700

# Slimline Frame Models

FO 🗆 RO 🗆 RL 💻	GL243-C-601140
FO ■ RO ■ RL ■	GL243-C-601141
FO ■ RO ■ RL ■	GL243-C-601142
FO RO RL ■	GL243-C-601143
FO $\square$ RO $\nearrow$ RL $\nearrow$	GL243-C-601144
FO ■ RO 🗷 RL 🖊	GL243-C-601145
FO RO RL	GL243-C-601146
FO RO RL	GL243-C-601147

# Smith & Wesson®



# M&P® and M&P® M2.0

FO 🗆 RO 🗆 RL 💻	SA237-C-600900
M&P® C.O.R.E.	
FO 🗆 RO 🗆 RL 💻	SA240-C-601011
FO ■ RO ■ RL ■	SA240-C-601148
FO RO RL	SA240-C-601149
FO ■ RO ■ RL ■	SA240-C-601150
FO RO RL	SA240-C-601151
FO RO RL	SA240-C-601152
FO <b>R</b> RO <b>R</b> RL	SA240-C-601153
FO $\square$ RO $\square$ RL $\square$	SA240-C-601154



### FNS-9, FNX-9, and FNP-9

FO 🗆 RO 🗆 RL 💻	FN202-C-600935
FNX-45 and FNP-45	
FO RO RL	FN203-C-600942
<b>FN509</b> FO □ BO □ BI ■	FN204-C-600996

# Available Models



### **Product Key**

FO / RO / RL - Front Outline / Rear Outline / Rear Lamp ■ - Front Outline Colors ■ Z - Rear Outline Colors ■ ■ Z - Rear Lamp Colors All Front Tritium Lamps Are Green

# SIG SAUER®



### 9mm and .357 (Excluding P938)

FO RO RL

SG201-C-600907

.40 S&W and .45ACP

FO RO RL

SG203-C-600914



## Trijicon RMR® Mount w/ Integrated Suppressor/Optic Height Sights - SIG Sauer® M17/M18 Commercial Variant

F0 ■ R0 ■ RL ■

SG408-C-601124

## Trijicon RMR® Mount w/ Integrated Suppressor/Optic Height Sights - SIG Sauer® M17/M18 Military Variant

FO ■ RO ■ RL ■

SG408-C-601125

# **Springfield Armory®**



XD, XD(M)®, and XD-S®

FO RO RL

SP201-C-600921

1911



## Trijicon RMR® / SRO® Mount w/ Integrated Suppressor/Optic **Height Sights**

FO ■ RO ■ RL ■

CA428-C-600757

FO ■ RO ■ RL

CA428-C-600759



### .45C, P40 and VP9 (Excluding VP9 Optics Ready)

FO RO RL

HK210-C-600949



### P-10 and P10-C Optics Cut Line

FO RO RL

CZ203-C-601101



NOTE: Green tritium lamps are warrantied to illuminate for 12 years from date of original manufacture. Professional installation strongly recommended for all sights. For specific model information and sight dimensions please visit our website. ©2023 Trijicon, Inc. | Wixom, Michigan USA | Phone: 1-800-338-0563 | info@trijicon.com Specifications subject to change without notice. | PML4057 Rev(5) 1223

